Accessibility Insights for Web

Target page: localhost:3000/chats/4

QuickAssess report

This report shows the results from a combination of assisted and manual tests that cover limited aspects of the WCAG 2.1 AA and 2.2 AA success criteria.

Summary

✓ 100% ○ 0% ✗ 0%

Test details

Automated checks	✓ 60	Links	✓
Keyboard	✓	Native widgets	✓
Focus	✓	Images	✓
Headings	✓ ✓	Adaptable content	✓
Repetitive content	✓	Contrast	✓

Scan details

http://localhost:3000/chats/4
3/21/2025, 8:24:27 AM UTC
Chats - Deelnemer

Failed tests ✗ 0

Incomplete tests ● 0

Passed tests ✓ 70

Automated checks ✓ 60

area-alt: Active <area> elements must have alternative text - WCAG 2.4.4, WCAG 4.1.2 ✓ 0

No matching instances

aria-allowed-attr: Elements must only use supported ARIA attributes - WCAG 4.1.2 ✓ 15

No failing instances

aria-allowed-role: ARIA role should be appropriate for the element - WCAG 1.3.1, WCAG 4.1.2 ✓ 36 Best Practice

No failing instances

aria-command-name: ARIA commands must have an accessible name - WCAG 4.1.2 ✓ 1

No failing instances

aria-conditional-attr: ARIA attributes must be used as specified for the element's role - WCAG 4.1.2 ✓ 15

No failing instances

aria-deprecated-role: Deprecated ARIA roles must not be used - WCAG 4.1.2 ✓ 6

No failing instances

aria-hidden-body: aria-hidden="true" must not be present on the document body - WCAG 1.3.1, WCAG 4.1.2 ✓ 1

No failing instances

aria-hidden-focus: ARIA hidden element must not be focusable or contain focusable elements - WCAG 4.1.2 ✓ 9

No failing instances

aria-input-field-name: ARIA input fields must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-meter-name: ARIA meter nodes must have an accessible name - WCAG 1.1.1 ✓ 0

No matching instances

aria-progressbar-name: ARIA progressbar nodes must have an accessible name - WCAG 1.1.1 ✓ 0

No matching instances

aria-prohibited-attr: Elements must only use permitted ARIA attributes - WCAG 4.1.2 ✓ 15

No failing instances

aria-required-attr: Required ARIA attributes must be provided - WCAG 4.1.2 ✓ 6

No failing instances

aria-required-children: Certain ARIA roles must contain particular children - WCAG 1.3.1 ✓ 0

No matching instances

aria-required-parent: Certain ARIA roles must be contained by particular parents - WCAG 1.3.1 ✓ 0

No matching instances

aria-roles: ARIA roles used must conform to valid values - WCAG 4.1.2 ✓ 6

No failing instances

aria-toggle-field-name: ARIA toggle fields must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-tooltip-name: ARIA tooltip nodes must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-valid-attr-value: ARIA attributes must conform to valid values - WCAG 4.1.2 ✓ 15

No failing instances

aria-valid-attr: ARIA attributes must conform to valid names - WCAG 4.1.2 ✓ 15

No failing instances

audio-caption: <audio> elements must have a captions track - WCAG 1.2.1 ✓ 0

No matching instances

autocomplete-valid: autocomplete attribute must be used correctly - WCAG 1.3.5 ✓ 0 New for WCAG 2.1

No matching instances

avoid-inline-spacing: Inline text spacing must be adjustable with custom stylesheets - WCAG 1.4.12 ✓ 29 New for WCAG 2.1

No failing instances

blink: <blink> elements are deprecated and must not be used - WCAG 2.2.2 ✓ 0

No matching instances

button-name: Buttons must have discernible text - WCAG 4.1.2 ✓ 10

No failing instances

bypass: Page must have means to bypass repeated blocks - WCAG 2.4.1 ✓ 1

No failing instances

color-contrast: Elements must meet minimum color contrast ratio thresholds - WCAG 1.4.3 ✓ 34

No failing instances

definition-list: <dl> elements must only directly contain properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements - WCAG 1.3.1 ✓ 0

No matching instances

dlitem: <dt> and <dd> elements must be contained by a <dl> - WCAG 1.3.1 ✓ 0

No matching instances

document-title: Documents must have <title> element to aid in navigation - WCAG 2.4.2 ✓ 1

No failing instances

duplicate-id-aria: IDs used in ARIA and labels must be unique - WCAG 4.1.2 ✓ 0

No matching instances

frame-focusable-content: Frames with focusable content must not have tabindex=-1 - WCAG 2.1.1 ✓ 0

No matching instances

frame-title: Frames must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

html-has-lang: <html> element must have a lang attribute - WCAG 3.1.1 ✓ 1

No failing instances

html-lang-valid: <html> element must have a valid value for the lang attribute - WCAG 3.1.1 ✓ 1

No failing instances

html-xml-lang-mismatch: HTML elements with lang and xml:lang must have the same base language - WCAG 3.1.1 ✓ 0

No matching instances

image-alt: Images must have alternative text - WCAG 1.1.1 ✓ 2

No failing instances

input-button-name: Input buttons must have discernible text - WCAG 4.1.2 ✓ 0

No matching instances

input-image-alt: Image buttons must have alternative text - WCAG 1.1.1, WCAG 4.1.2 ✓ 0

No matching instances

label: Form elements must have labels - WCAG 4.1.2 ✓ 2

No failing instances

link-in-text-block: Links must be distinguishable without relying on color - WCAG 1.4.1 ✓ 0

No matching instances

link-name: Links must have discernible text - WCAG 2.4.4, WCAG 4.1.2 ✓ 11

No failing instances

list: <ul> and <ol> must only directly contain <li>, <script> or <template> elements - WCAG 1.3.1 ✓ 2

No failing instances

listitem: <li> elements must be contained in a <ul> or <ol> - WCAG 1.3.1 ✓ 7

No failing instances

marquee: <marquee> elements are deprecated and must not be used - WCAG 2.2.2 ✓ 0

No matching instances

meta-refresh: Delayed refresh under 20 hours must not be used - WCAG 2.2.1 ✓ 0

No matching instances

meta-viewport: Zooming and scaling must not be disabled - WCAG 1.4.4 ✓ 1

No failing instances

nested-interactive: Interactive controls must not be nested - WCAG 4.1.2 ✓ 15

No failing instances

object-alt: <object> elements must have alternative text - WCAG 1.1.1 ✓ 0

No matching instances

presentation-role-conflict: Ensure elements marked as presentational are consistently ignored - WCAG 1.3.1 ✓ 0 Best Practice

No matching instances

role-img-alt: [role="img"] elements must have an alternative text - WCAG 1.1.1 ✓ 2

No failing instances

scrollable-region-focusable: Scrollable region must have keyboard access - WCAG 2.1.1 ✓ 0

No matching instances

select-name: Select element must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

server-side-image-map: Server-side image maps must not be used - WCAG 2.1.1 ✓ 0

No matching instances

summary-name: Summary elements must have discernible text - WCAG 4.1.2 ✓ 0

No matching instances

svg-img-alt: <svg> elements with an img role must have an alternative text - WCAG 1.1.1 ✓ 0

No matching instances

td-headers-attr: Table cells that use the headers attribute must only refer to cells in the same table - WCAG 1.3.1 ✓ 0

No matching instances

th-has-data-cells: Table headers in a data table must refer to data cells - WCAG 1.3.1 ✓ 0

No matching instances

valid-lang: lang attribute must have a valid value - WCAG 3.1.2 ✓ 0

No matching instances

video-caption: <video> elements must have captions - WCAG 1.2.2 ✓ 0

No matching instances

Keyboard ✓ 1

Keyboard navigation: Users must be able to *navigate* to all interactive interface components using a keyboard - WCAG 2.1.1 ✓ 0

No matching instances

Focus ✓ 1

Focus order: Components must receive focus in an order that preserves meaning and operability - WCAG 2.4.3 ✓ 0

No matching instances

Headings ✓ 2

No missing headings: Text that *looks like* a heading must be *coded* as a heading - WCAG 1.3.1, WCAG 2.4.6 ✓ 1

Heading level: A heading's *programmatic* level must match the level that's presented *visually* - WCAG 1.3.1 ✓ 1

Path	h2
Snippet	<h2 class="flex-fill align-self-center mb-0">Chats</h2>
Heading text	Chats

Repetitive content ✓ 1

Bypass blocks: A page must provide a keyboard-accessible method to bypass repetitive content - WCAG 2.4.1 ✓ 0

No matching instances

Links ✓ 1

Link purpose: The purpose of a link must be described by its link text alone, or by the link text together with preceding page context - WCAG 2.4.4 ✓ 11

Path	a[href$="#content"]
Snippet	Doorgaan naar hoofdinhoud
Accessible name	Doorgaan naar hoofdinhoud
Accessible description	(no value)
URL	#content

Path	a[href$="#bottom-bar"]
Snippet	Doorgaan naar snelmenu
Accessible name	Doorgaan naar snelmenu
Accessible description	(no value)
URL	#bottom-bar

Path	.navbar-brand
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>Terug naar home
Accessible name	42-DEV BV Terug naar home
Accessible description	(no value)
URL	/

Path	.nav-item:nth-child(1) > .dropdown-toggle.nav-link[href="#"]
Snippet	<a aria-haspopup="true" href="#" class="d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">color_lens</i>42
Accessible name	color_lens42
Accessible description	(no value)
URL	#

Path	.nav-item:nth-child(2) > .dropdown-toggle.nav-link[href="#"]
Snippet	<a aria-haspopup="true" href="#" class=" d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">public</i>Nederlands
Accessible name	publicNederlands
Accessible description	(no value)
URL	#

Path	.nav-item:nth-child(5) > .dropdown-toggle.nav-link[href="#"]
Snippet	<a aria-haspopup="true" href="#" class="dropdown-toggle nav-link" aria-expanded="false">
Accessible name	deelnemer@42.nl Diederik Deelnemer
Accessible description	(no value)
URL	#

Path	a[href$="dashboard"]
Snippet	<a class="text-decoration-none" href="/dashboard" data-discover="true">
Accessible name	homeHome
Accessible description	(no value)
URL	/dashboard

Path	a[href$="chats"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	message2Chats
Accessible description	(no value)
URL	/chats

Path	a[href$="news"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts135Nieuws
Accessible description	(no value)
URL	/publications/news

Path	a[href$="events"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_today2Evenement
Accessible description	(no value)
URL	/publications/events

Path	a[href$="external-info"]
Snippet	<a class="text-decoration-none" href="/publications/external-info" data-discover="true">
Accessible name	info5Externe informatie
Accessible description	(no value)
URL	/publications/external-info

Native widgets ✓ 1

Instructions: If a native widget has a visible label or instructions, they must be programmatically determinable - WCAG 1.3.1, WCAG 2.5.3 ✓ 10 New for WCAG 2.1

Path	.btn-md
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">arrow_back</i>Terug</div></button>
Element	button
Accessible name	arrow_backTerug
Accessible description	(no value)

Path	button[icon="block"]
Snippet	<button type="button" icon="block" class="float-end btn btn-primary">Herstellen</button>
Element	button
Accessible name	Herstellen
Accessible description	(no value)

Path	.card-header.text-bg-primary.flex-grow-0 > .dropstart.dropdown > .text-white.p-0[aria-haspopup="true"]
Snippet	<button aria-haspopup="true" class="btn p-0 border-0 text-white d-flex flex-row align-items-center clickable" aria-expanded="false"><i class="icon material-icons material-icons__filled">more_horiz</i>Chat opties</button>
Element	button
Accessible name	more_horizChat opties
Accessible description	(no value)

Path	#\31 076
Snippet	<input id="1076" placeholder="Zoeken..." aria-label="Zoeken" type="search" class="form-control" value="">
Element	input type="search"
Accessible name	Zoeken
Accessible description	(no value)

Path	li[aria-label="42 BV"] > .ms-2.align-self-center.flex-shrink-1 > .flex-grow-0.flex-shrink-0.justify-content-between > .justify-content-end.d-flex > .flex-row.align-items-center.d-flex > .dropstart.dropdown > .p-0.border-0[aria-haspopup="true"]
Snippet	<button aria-haspopup="true" class="btn p-0 border-0 d-flex flex-row align-items-center" aria-expanded="false"><i class="icon material-icons material-icons__filled">more_horiz</i>Chat opties</button>
Element	button
Accessible name	more_horizChat opties
Accessible description	(no value)

Path	li[aria-label="Cornelis de Coach"] > .ms-2.align-self-center.flex-shrink-1 > .flex-grow-0.flex-shrink-0.justify-content-between > .justify-content-end.d-flex > .flex-row.align-items-center.d-flex > .dropstart.dropdown > .p-0.border-0[aria-haspopup="true"]
Snippet	<button aria-haspopup="true" class="btn p-0 border-0 d-flex flex-row align-items-center" aria-expanded="false"><i class="icon material-icons material-icons__filled">more_horiz</i>Chat opties</button>
Element	button
Accessible name	more_horizChat opties
Accessible description	(no value)

Path	.flex-grow-1.justify-content-between.align-items-center > .text-white.p-0.border-0
Snippet	<button type="button" class="btn border-0 p-0 d-flex text-white">
Element	button
Accessible name	4 42
Accessible description	(no value)

Path	.flex-row.align-items-center.d-flex > .dropstart.dropdown > .text-white.p-0[aria-haspopup="true"]
Snippet	<button aria-haspopup="true" class="btn p-0 border-0 text-white d-flex flex-row align-items-center" aria-expanded="false"><i class="icon material-icons material-icons__filled">more_horiz</i>Chat opties</button>
Element	button
Accessible name	more_horizChat opties
Accessible description	(no value)

Path	#message
Snippet	<textarea id="message" maxlength="512" placeholder="Typ hier uw bericht" class="form-control" name="message" style="height: 38px !important;"></textarea>
Element	textarea
Accessible name	Typ hier uw bericht
Accessible description	(no value)

Path	.tsqd-open-btn
Snippet	<button type="button" aria-label="Open Tanstack query devtools" class="tsqd-open-btn">
Element	button
Accessible name	Open Tanstack query devtools
Accessible description	(no value)

Images ✓ 1

Image function: Every image must be coded as either meaningful or decorative - WCAG 1.1.1 ✓ 6

Path	.logo.topbar[role="img"]
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>
Image type	Role="img"
Coded as	Meaningful
ARIA role	(no value)
Accessible name	42-DEV BV

Path	img[alt="deelnemer@42.nl"]
Snippet	<img alt="deelnemer@42.nl" src="/api/photos/1d0d8c87-a786-444d-b71a-544dbad57ad4.jpg">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	deelnemer@42.nl

Path	.profile
Snippet	<div class="logo profile" role="img" aria-label="42-DEV BV"></div>
Image type	Role="img"
Coded as	Meaningful
ARIA role	(no value)
Accessible name	42-DEV BV

Path	.display-block
Snippet	<img src="/api/photos/ba613f97-1ed7-4560-9a09-fc911c076787.jpg" class="display-block m-auto rounded-circle" alt="Cornelis de Coach" style="width: 54px; height: 54px; min-height: 54px; min-width: 54px;">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	Cornelis de Coach

Path	.chat-message-panel
Snippet	<div class="chat-message-panel d-flex flex-column-reverse overflow-y-auto align-items-center card-body">
Image type	CSS background-image
Coded as	Decorative
ARIA role	(no value)
Accessible name	wfrqe 09:18 Goedemorgen, 42! Het gaat goed met mij. Hoe gaat het met jou? 09:17 21 maart 2025 42 Goedemorgen, Diederik! Hoe gaat het met jou? 09:17

Path	.tsqd-open-btn > svg
Snippet	<svg version="1.0" viewBox="0 0 633 633">
Coded as	Decorative
ARIA role	(no value)
Accessible name	(no value)

Adaptable content ✓ 1

Reflow: Content must be visible without having to scroll in two dimensions - WCAG 1.4.10 ✓ 0 New for WCAG 2.1

No matching instances

Contrast ✓ 1

UI components: Visual information used to identify active user interface components and their states must have sufficient contrast - WCAG 1.4.11 ✓ 25 New for WCAG 2.1

Path	a[href$="#content"]
Snippet	Doorgaan naar hoofdinhoud
Accessible name	Doorgaan naar hoofdinhoud
Element	link

Path	a[href$="#bottom-bar"]
Snippet	Doorgaan naar snelmenu
Accessible name	Doorgaan naar snelmenu
Element	link

Path	.navbar-brand
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>Terug naar home
Accessible name	42-DEV BV Terug naar home
Element	link

Path	.nav-item:nth-child(1) > .dropdown-toggle.nav-link[href="#"]
Snippet	<a aria-haspopup="true" href="#" class="d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">color_lens</i>42
Accessible name	color_lens42
Element	link

Path	.nav-item:nth-child(2) > .dropdown-toggle.nav-link[href="#"]
Snippet	<a aria-haspopup="true" href="#" class=" d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">public</i>Nederlands
Accessible name	publicNederlands
Element	link

Path	.nav-item:nth-child(5) > .dropdown-toggle.nav-link[href="#"]
Snippet	<a aria-haspopup="true" href="#" class="dropdown-toggle nav-link" aria-expanded="false">
Accessible name	deelnemer@42.nl Diederik Deelnemer
Element	link

Path	a[href$="dashboard"]
Snippet	<a class="text-decoration-none" href="/dashboard" data-discover="true">
Accessible name	homeHome
Element	link

Path	a[href$="chats"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	message2Chats
Element	link

Path	a[href$="news"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts135Nieuws
Element	link

Path	a[href$="events"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_today2Evenement
Element	link

Path	a[href$="external-info"]
Snippet	<a class="text-decoration-none" href="/publications/external-info" data-discover="true">
Accessible name	info5Externe informatie
Element	link

Path	.btn-md
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">arrow_back</i>Terug</div></button>
Accessible name	arrow_backTerug
Element	button

Path	button[icon="block"]
Snippet	<button type="button" icon="block" class="float-end btn btn-primary">Herstellen</button>
Accessible name	Herstellen
Element	button

Path	.card-header.text-bg-primary.flex-grow-0 > .dropstart.dropdown > .text-white.p-0[aria-haspopup="true"]
Snippet	<button aria-haspopup="true" class="btn p-0 border-0 text-white d-flex flex-row align-items-center clickable" aria-expanded="false"><i class="icon material-icons material-icons__filled">more_horiz</i>Chat opties</button>
Accessible name	more_horizChat opties
Element	button

Path	#\31 076
Snippet	<input id="1076" placeholder="Zoeken..." aria-label="Zoeken" type="search" class="form-control" value="">
Accessible name	Zoeken
Element	input type="search"

Path	li[aria-label="42 BV"] > .ms-2.align-self-center.flex-shrink-1 > .flex-grow-0.flex-shrink-0.justify-content-between > .justify-content-end.d-flex > .flex-row.align-items-center.d-flex > .dropstart.dropdown > .p-0.border-0[aria-haspopup="true"]
Snippet	<button aria-haspopup="true" class="btn p-0 border-0 d-flex flex-row align-items-center" aria-expanded="false"><i class="icon material-icons material-icons__filled">more_horiz</i>Chat opties</button>
Accessible name	more_horizChat opties
Element	button

Path	li[aria-label="Cornelis de Coach"] > .ms-2.align-self-center.flex-shrink-1 > .flex-grow-0.flex-shrink-0.justify-content-between > .justify-content-end.d-flex > .flex-row.align-items-center.d-flex > .dropstart.dropdown > .p-0.border-0[aria-haspopup="true"]
Snippet	<button aria-haspopup="true" class="btn p-0 border-0 d-flex flex-row align-items-center" aria-expanded="false"><i class="icon material-icons material-icons__filled">more_horiz</i>Chat opties</button>
Accessible name	more_horizChat opties
Element	button

Path	.flex-grow-1.justify-content-between.align-items-center > .text-white.p-0.border-0
Snippet	<button type="button" class="btn border-0 p-0 d-flex text-white">
Accessible name	4 42
Element	button

Path	.flex-row.align-items-center.d-flex > .dropstart.dropdown > .text-white.p-0[aria-haspopup="true"]
Snippet	<button aria-haspopup="true" class="btn p-0 border-0 text-white d-flex flex-row align-items-center" aria-expanded="false"><i class="icon material-icons material-icons__filled">more_horiz</i>Chat opties</button>
Accessible name	more_horizChat opties
Element	button

Path	#message
Snippet	<textarea id="message" maxlength="512" placeholder="Typ hier uw bericht" class="form-control" name="message" style="height: 38px !important;"></textarea>
Accessible name	Typ hier uw bericht
Element	textarea

Path	.tsqd-open-btn
Snippet	<button type="button" aria-label="Open Tanstack query devtools" class="tsqd-open-btn">
Accessible name	Open Tanstack query devtools
Element	button

Path	.chat-notifications > .nav-link.clickable[role="button"]
Snippet	<button class="clickable nav-link" tabindex="0" role="button" aria-expanded="false"><i class="icon material-icons material-icons__filled mt-1">question_answer</i>Chatgesprekken</button>
Accessible name	question_answerChatgesprekken
Role	button

Path	.internal-notifications > .nav-link.clickable[role="button"]
Snippet	<button class="clickable nav-link" tabindex="0" role="button" aria-expanded="false">
Accessible name	notifications34Meldingen
Role	button

Path	span[role="button"]
Snippet	<img alt="deelnemer@42.nl" src="/api/photos/1d0d8c87-a786-444d-b71a-544dbad57ad4.jpg">
Accessible name	deelnemer@42.nl
Role	button

Path	.alert
Snippet	<div class="d-print-none alert alert-warning fade show" open="" role="alert">
Accessible name	(no value)
Role	alert

This assessment report was generated using Accessibility Insights for Web 2.46.0 (axe-core 4.10.2), a tool that helps debug and find accessibility issues earlier on Chrome version 134.0.0.0. Get more information & download this tool at http://aka.ms/AccessibilityInsights

Accessibility Insights for Web

Target page: localhost:3000/publications/news/92

QuickAssess report

This report shows the results from a combination of assisted and manual tests that cover limited aspects of the WCAG 2.1 AA and 2.2 AA success criteria.

Summary

✓ 100% ○ 0% × 0%

Test details

Automated checks	✓ 60	Links	✓
Keyboard	✓	Native widgets	✓
Focus	✓	Images	✓
Headings	✓ ✓	Adaptable content	✓
Repetitive content	✓	Contrast	✓

Scan details

http://localhost:3000/publications/news/92
3/21/2025, 8:50:08 AM UTC
Nieuwsbericht (details) - Deelnemer

Failed tests × 0

Incomplete tests ○ 0

Passed tests ✓ 70

Automated checks ✓ 60

area-alt: Active <area> elements must have alternative text - WCAG 2.4.4, WCAG 4.1.2 ✓ 0

No matching instances

aria-allowed-attr: Elements must only use supported ARIA attributes - WCAG 4.1.2 ✓ 7

No failing instances

aria-allowed-role: ARIA role should be appropriate for the element - WCAG 1.3.1, WCAG 4.1.2 ✓ 28 Best Practice

No failing instances

aria-command-name: ARIA commands must have an accessible name - WCAG 4.1.2 ✓ 4

No failing instances

aria-conditional-attr: ARIA attributes must be used as specified for the element's role - WCAG 4.1.2 ✓ 7

No failing instances

aria-deprecated-role: Deprecated ARIA roles must not be used - WCAG 4.1.2 ✓ 8

No failing instances

aria-hidden-body: aria-hidden="true" must not be present on the document body - WCAG 1.3.1, WCAG 4.1.2 ✓ 1

No failing instances

aria-hidden-focus: ARIA hidden element must not be focusable or contain focusable elements - WCAG 4.1.2 ✓ 4

No failing instances

aria-input-field-name: ARIA input fields must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-meter-name: ARIA meter nodes must have an accessible name - WCAG 1.1.1 ✓ 0

No matching instances

aria-progressbar-name: ARIA progressbar nodes must have an accessible name - WCAG 1.1.1 ✓ 0

No matching instances

aria-prohibited-attr: Elements must only use permitted ARIA attributes - WCAG 4.1.2 ✓ 7

No failing instances

aria-required-attr: Required ARIA attributes must be provided - WCAG 4.1.2 ✓ 8

No failing instances

aria-required-children: Certain ARIA roles must contain particular children - WCAG 1.3.1 ✓ 0

No matching instances

aria-required-parent: Certain ARIA roles must be contained by particular parents - WCAG 1.3.1 ✓ 0

No matching instances

aria-roles: ARIA roles used must conform to valid values - WCAG 4.1.2 ✓ 8

No failing instances

aria-toggle-field-name: ARIA toggle fields must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-tooltip-name: ARIA tooltip nodes must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-valid-attr-value: ARIA attributes must conform to valid values - WCAG 4.1.2 ✓ 7

No failing instances

aria-valid-attr: ARIA attributes must conform to valid names - WCAG 4.1.2 ✓ 7

No failing instances

audio-caption: <audio> elements must have a captions track - WCAG 1.2.1 ✓ 0

No matching instances

autocomplete-valid: autocomplete attribute must be used correctly - WCAG 1.3.5 ✓ 0 New for WCAG 2.1

No matching instances

avoid-inline-spacing: Inline text spacing must be adjustable with custom stylesheets - WCAG 1.4.12 ✓ 20 New for WCAG 2.1

No failing instances

blink: <blink> elements are deprecated and must not be used - WCAG 2.2.2 ✓ 0

No matching instances

button-name: Buttons must have discernible text - WCAG 4.1.2 ✓ 6

No failing instances

bypass: Page must have means to bypass repeated blocks - WCAG 2.4.1 ✓ 1

No failing instances

color-contrast: Elements must meet minimum color contrast ratio thresholds - WCAG 1.4.3 ✓ 24

No failing instances

definition-list: <dl> elements must only directly contain properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements - WCAG 1.3.1 ✓ 0

No matching instances

dlitem: <dt> and <dd> elements must be contained by a <dl> - WCAG 1.3.1 ✓ 0

No matching instances

document-title: Documents must have <title> element to aid in navigation - WCAG 2.4.2 ✓ 1

No failing instances

duplicate-id-aria: IDs used in ARIA and labels must be unique - WCAG 4.1.2 ✓ 0

No matching instances

frame-focusable-content: Frames with focusable content must not have tabindex=-1 - WCAG 2.1.1 ✓ 0

No matching instances

frame-title: Frames must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

html-has-lang: <html> element must have a lang attribute - WCAG 3.1.1 ✓ 1

No failing instances

html-lang-valid: <html> element must have a valid value for the lang attribute - WCAG 3.1.1 ✓ 1

No failing instances

html-xml-lang-mismatch: HTML elements with lang and xml:lang must have the same base language - WCAG 3.1.1 ✓ 0

No matching instances

image-alt: Images must have alternative text - WCAG 1.1.1 ✓ 2

No failing instances

input-button-name: Input buttons must have discernible text - WCAG 4.1.2 ✓ 0

No matching instances

input-image-alt: Image buttons must have alternative text - WCAG 1.1.1, WCAG 4.1.2 ✓ 0

No matching instances

label: Form elements must have labels - WCAG 4.1.2 ✓ 0

No matching instances

link-in-text-block: Links must be distinguishable without relying on color - WCAG 1.4.1 ✓ 0

No matching instances

link-name: Links must have discernible text - WCAG 2.4.4, WCAG 4.1.2 ✓ 11

No failing instances

list: <ul> and <ol> must only directly contain <li>, <script> or <template> elements - WCAG 1.3.1 ✓ 1

No failing instances

listitem: <li> elements must be contained in a <ul> or <ol> - WCAG 1.3.1 ✓ 5

No failing instances

marquee: <marquee> elements are deprecated and must not be used - WCAG 2.2.2 ✓ 0

No matching instances

meta-refresh: Delayed refresh under 20 hours must not be used - WCAG 2.2.1 ✓ 0

No matching instances

meta-viewport: Zooming and scaling must not be disabled - WCAG 1.4.4 ✓ 1

No failing instances

nested-interactive: Interactive controls must not be nested - WCAG 4.1.2 ✓ 13

No failing instances

object-alt: <object> elements must have alternative text - WCAG 1.1.1 ✓ 0

No matching instances

presentation-role-conflict: Ensure elements marked as presentational are consistently ignored - WCAG 1.3.1 ✓ 0 Best Practice

No matching instances

role-img-alt: [role="img"] elements must have an alternative text - WCAG 1.1.1 ✓ 1

No failing instances

scrollable-region-focusable: Scrollable region must have keyboard access - WCAG 2.1.1 ✓ 1

No failing instances

select-name: Select element must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

server-side-image-map: Server-side image maps must not be used - WCAG 2.1.1 ✓ 0

No matching instances

summary-name: Summary elements must have discernible text - WCAG 4.1.2 ✓ 0

No matching instances

svg-img-alt: <svg> elements with an img role must have an alternative text - WCAG 1.1.1 ✓ 0

No matching instances

td-headers-attr: Table cells that use the headers attribute must only refer to cells in the same table - WCAG 1.3.1 ✓ 0

No matching instances

th-has-data-cells: Table headers in a data table must refer to data cells - WCAG 1.3.1 ✓ 0

No matching instances

valid-lang: lang attribute must have a valid value - WCAG 3.1.2 ✓ 0

No matching instances

video-caption: <video> elements must have captions - WCAG 1.2.2 ✓ 0

No matching instances

Keyboard ✓ 1

Keyboard navigation: Users must be able to *navigate* to all interactive interface components using a keyboard - WCAG 2.1.1 ✓ 0

No matching instances

Focus ✓ 1

Focus order: Components must receive focus in an order that preserves meaning and operability - WCAG 2.4.3 ✓ 0

No matching instances

Headings ✓ 2

No missing headings: Text that *looks like* a heading must be *coded* as a heading - WCAG 1.3.1, WCAG 2.4.6 ✓ 1

Heading level: A heading's *programmatic* level must match the level that's presented *visually* - WCAG 1.3.1 ✓ 1

Path	h3
Snippet	<h3 class="d-flex align-items-center word-break">Corrumpit Mentitum Aeque</h3>
Heading text	Corrumpit Mentitum Aeque

Repetitive content ✓ 1

Bypass blocks: A page must provide a keyboard-accessible method to bypass repetitive content - WCAG 2.4.1 ✓ 0

No matching instances

Links ✓ 1

Link purpose: The purpose of a link must be described by its link text alone, or by the link text together with preceding page context - WCAG 2.4.4 ✓ 11

Path	a[href$="#content"]
Snippet	Doorgaan naar hoofdinhoud
Accessible name	Doorgaan naar hoofdinhoud
Accessible description	(no value)
URL	#content

Path	a[href$="#bottom-bar"]
Snippet	Doorgaan naar snelmenu
Accessible name	Doorgaan naar snelmenu
Accessible description	(no value)
URL	#bottom-bar

Path	.navbar-brand
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>Terug naar home
Accessible name	42-DEV BV Terug naar home
Accessible description	(no value)
URL	/

Path	.dropdown:nth-child(1) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">color_lens</i>42
Accessible name	color_lens42
Accessible description	(no value)
URL	#

Path	.dropdown:nth-child(2) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class=" d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">public</i>Nederlands
Accessible name	publicNederlands
Accessible description	(no value)
URL	#

Path	.dropdown:nth-child(5) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="dropdown-toggle nav-link" aria-expanded="false">
Accessible name	deelnemer@42.nl Diederik Deelnemer
Accessible description	(no value)
URL	#

Path	a[href$="dashboard"]
Snippet	<a class="text-decoration-none" href="/dashboard" data-discover="true">
Accessible name	homeHome
Accessible description	(no value)
URL	/dashboard

Path	a[href$="chats"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	messageChats
Accessible description	(no value)
URL	/chats

Path	a[href$="news"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts135Nieuws
Accessible description	(no value)
URL	/publications/news

Path	a[href$="events"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_today2Evenement
Accessible description	(no value)
URL	/publications/events

Path	a[href$="external-info"]
Snippet	<a class="text-decoration-none" href="/publications/external-info" data-discover="true">
Accessible name	info5Externe informatie
Accessible description	(no value)
URL	/publications/external-info

Native widgets ✓ 1

Instructions: If a native widget has a visible label or instructions, they must be programmatically determinable - WCAG 1.3.1, WCAG 2.5.3 ✓ 4 New for WCAG 2.1

Path	.btn-md
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">arrow_back</i>Terug</div></button>
Element	button
Accessible name	arrow_backTerug
Accessible description	(no value)

Path	button[icon="block"]
Snippet	<button type="button" icon="block" class="float-end btn btn-primary">Herstellen</button>
Element	button
Accessible name	Herstellen
Accessible description	(no value)

Path	.btn-link
Snippet	<button type="button" tabindex="0" class="btn btn-link p-0 me-2 mt-1"><i class="icon material-icons material-icons__filled text-danger text-muted" style="font-size: 23px;">favorite</i>Reageer met emoticon</button>
Element	button
Accessible name	favoriteReageer met emoticon
Accessible description	(no value)

Path	.tsqd-open-btn
Snippet	<button type="button" aria-label="Open Tanstack query devtools" class="tsqd-open-btn">
Element	button
Accessible name	Open Tanstack query devtools
Accessible description	(no value)

Images ✓ 1

Image function: Every image must be coded as either meaningful or decorative - WCAG 1.1.1 ✓ 5

Path	.logo
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>
Image type	Role="img"
Coded as	Meaningful
ARIA role	(no value)
Accessible name	42-DEV BV

Path	img[alt="deelnemer@42.nl"]
Snippet	<img alt="deelnemer@42.nl" src="/api/photos/1d0d8c87-a786-444d-b71a-544dbad57ad4.jpg">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	deelnemer@42.nl

Path	.img-fluid
Snippet	<img alt="Corrumpit Mentitum Aeque" class="img-fluid float-sm-end ms-3 mb-3" src="/api/photos/9436e315-07d0-4bdb-a35c-d0d30c68b057.jpg" style="max-width: 50%; max-height: 350px;">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	Corrumpit Mentitum Aeque

Path	.bg-white.card-body.text-center
Snippet	<div class="text-center bg-white card-body" style="background-image: url(&quot;/api/posts/documents/download/48/file/publication-document.jpg&quot;); background-size: contain; background-repeat: no-repeat; background-position: center center;">
Image type	CSS background-image
Coded as	Decorative
ARIA role	(no value)
Accessible name	insert_photo

Path	.tsqd-open-btn > svg
Snippet	<svg version="1.0" viewBox="0 0 633 633">
Coded as	Decorative
ARIA role	(no value)
Accessible name	(no value)

Adaptable content ✓ 1

Reflow: Content must be visible without having to scroll in two dimensions - WCAG 1.4.10 ✓ 0 New for WCAG 2.1

No matching instances

Contrast ✓ 1

UI components: Visual information used to identify active user interface components and their states must have sufficient contrast - WCAG 1.4.11 ✓ 22 New for WCAG 2.1

Path	a[href$="#content"]
Snippet	Doorgaan naar hoofdinhoud
Accessible name	Doorgaan naar hoofdinhoud
Element	link

Path	a[href$="#bottom-bar"]
Snippet	Doorgaan naar snelmenu
Accessible name	Doorgaan naar snelmenu
Element	link

Path	.navbar-brand
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>Terug naar home
Accessible name	42-DEV BV Terug naar home
Element	link

Path	.dropdown:nth-child(1) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">color_lens</i>42
Accessible name	color_lens42
Element	link

Path	.dropdown:nth-child(2) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class=" d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">public</i>Nederlands
Accessible name	publicNederlands
Element	link

Path	.dropdown:nth-child(5) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="dropdown-toggle nav-link" aria-expanded="false">
Accessible name	deelnemer@42.nl Diederik Deelnemer
Element	link

Path	a[href$="dashboard"]
Snippet	<a class="text-decoration-none" href="/dashboard" data-discover="true">
Accessible name	homeHome
Element	link

Path	a[href$="chats"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	messageChats
Element	link

Path	a[href$="news"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts135Nieuws
Element	link

Path	a[href$="events"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_today2Evenement
Element	link

Path	a[href$="external-info"]
Snippet	<a class="text-decoration-none" href="/publications/external-info" data-discover="true">
Accessible name	info5Externe informatie
Element	link

Path	.btn-md
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">arrow_back</i>Terug</div></button>
Accessible name	arrow_backTerug
Element	button

Path	button[icon="block"]
Snippet	<button type="button" icon="block" class="float-end btn btn-primary">Herstellen</button>
Accessible name	Herstellen
Element	button

Path	.btn-link
Snippet	<button type="button" tabindex="0" class="btn btn-link p-0 me-2 mt-1"><i class="icon material-icons material-icons__filled text-danger text-muted" style="font-size: 23px;">favorite</i>Reageer met emoticon</button>
Accessible name	favoriteReageer met emoticon
Element	button

Path	.tsqd-open-btn
Snippet	<button type="button" aria-label="Open Tanstack query devtools" class="tsqd-open-btn">
Accessible name	Open Tanstack query devtools
Element	button

Path	.chat-notifications > .nav-link.clickable[role="button"]
Snippet	<button class="clickable nav-link" tabindex="0" role="button" aria-expanded="false"><i class="icon material-icons material-icons__filled mt-1">question_answer</i>Chatgesprekken</button>
Accessible name	question_answerChatgesprekken
Role	button

Path	.internal-notifications > .nav-link.clickable[role="button"]
Snippet	<button class="clickable nav-link" tabindex="0" role="button" aria-expanded="false">
Accessible name	notifications34Meldingen
Role	button

Path	.avatar > span[role="button"]
Snippet	<img alt="deelnemer@42.nl" src="/api/photos/1d0d8c87-a786-444d-b71a-544dbad57ad4.jpg">
Accessible name	deelnemer@42.nl
Role	button

Path	.alert
Snippet	<div class="d-print-none alert alert-warning fade show" open="" role="alert">
Accessible name	(no value)
Role	alert

Path	.active-emoji-mine
Snippet	<div class="d-flex flex-row me-1 pe-1 align-items-center card">😲<small class="px-1 text-muted fw-light">1</small></div>
Accessible name	😲1
Role	button

Path	div:nth-child(3) > .active-emoji[role="button"]
Snippet	<div class="d-flex flex-row me-1 pe-1 align-items-center card">😭<small class="px-1 text-muted fw-light">1</small></div>
Accessible name	😭1
Role	button

Path	.col > span[role="button"]
Snippet	<span tabindex="0" role="button" style="outline: 0px;">
Accessible name	insert_photo get_apppublication-document.jpg
Role	button

This assessment report was generated using Accessibility Insights for Web 2.46.0 (axe-core 4.10.2), a tool that helps debug and find accessibility issues earlier on Chrome version 134.0.0.0. Get more information & download this tool at http://aka.ms/AccessibilityInsights

QuickAssess report

This report shows the results from a combination of assisted and manual tests that cover limited aspects of the WCAG 2.1 AA and 2.2 AA success criteria.

Summary

✓ 100% ○ 0% × 0%

Test details

Automated checks	✓ 60	**Links**	✓
Keyboard	✓	**Native widgets**	✓
Focus	✓	**Images**	✓
Headings	✓ ✓	**Adaptable content**	✓
Repetitive content	✓	**Contrast**	✓

Scan details

http://localhost:3000/publications/news

3/21/2025, 8:38:00 AM UTC

Nieuws - Deelnemer

Failed tests × 0

Incomplete tests ● 0

Passed tests ✓ 70

Automated checks ✓ 60

area-alt: Active <area> elements must have alternative text - WCAG 2.4.4, WCAG 4.1.2 ✓ 0

No matching instances

aria-allowed-attr: Elements must only use supported ARIA attributes - WCAG 4.1.2 ✓ 10

No failing instances

aria-allowed-role: ARIA role should be appropriate for the element - WCAG 1.3.1, WCAG 4.1.2 ✓ 39
Best Practice

No failing instances

aria-command-name: ARIA commands must have an accessible name - WCAG 4.1.2 ✓ 14

No failing instances

aria-conditional-attr: ARIA attributes must be used as specified for the element's role - WCAG 4.1.2 ✓ 10

No failing instances

aria-deprecated-role: Deprecated ARIA roles must not be used - WCAG 4.1.2 ✓ 19

No failing instances

aria-hidden-body: aria-hidden="true" must not be present on the document body - WCAG 1.3.1, WCAG 4.1.2 ✓ 1

No failing instances

aria-hidden-focus: ARIA hidden element must not be focusable or contain focusable elements - WCAG 4.1.2 ✓ 5

No failing instances

aria-input-field-name: ARIA input fields must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-meter-name: ARIA meter nodes must have an accessible name - WCAG 1.1.1 ✓ 0

No matching instances

aria-progressbar-name: ARIA progressbar nodes must have an accessible name - WCAG 1.1.1 ✓ 0

No matching instances

aria-prohibited-attr: Elements must only use permitted ARIA attributes - WCAG 4.1.2 ✓ 10

No failing instances

aria-required-attr: Required ARIA attributes must be provided - WCAG 4.1.2 ✓ 19

No failing instances

aria-required-children: Certain ARIA roles must contain particular children - WCAG 1.3.1 ✓ 0

No matching instances

aria-required-parent: Certain ARIA roles must be contained by particular parents - WCAG 1.3.1 ✓ 0

No matching instances

aria-roles: ARIA roles used must conform to valid values - WCAG 4.1.2 ✓ 19

No failing instances

aria-toggle-field-name: ARIA toggle fields must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-tooltip-name: ARIA tooltip nodes must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-valid-attr-value: ARIA attributes must conform to valid values - WCAG 4.1.2 ✓ 10

No failing instances

aria-valid-attr: ARIA attributes must conform to valid names - WCAG 4.1.2 ✓ 10

No failing instances

audio-caption: <audio> elements must have a captions track - WCAG 1.2.1 ✓ 0

No matching instances

autocomplete-valid: autocomplete attribute must be used correctly - WCAG 1.3.5 ✓ 0 New for WCAG 2.1

No matching instances

avoid-inline-spacing: Inline text spacing must be adjustable with custom stylesheets - WCAG 1.4.12 ✓ 65 New for WCAG 2.1

No failing instances

blink: <blink> elements are deprecated and must not be used - WCAG 2.2.2 ✓ 0

No matching instances

button-name: Buttons must have discernible text - WCAG 4.1.2 ✓ 21

No failing instances

bypass: Page must have means to bypass repeated blocks - WCAG 2.4.1 ✓ 1

No failing instances

color-contrast: Elements must meet minimum color contrast ratio thresholds - WCAG 1.4.3 ✓ 56

No failing instances

definition-list: <dl> elements must only directly contain properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements - WCAG 1.3.1 ✓ 0

No matching instances

dlitem: <dt> and <dd> elements must be contained by a <dl> - WCAG 1.3.1 ✓ 0

No matching instances

document-title: Documents must have <title> element to aid in navigation - WCAG 2.4.2 ✓ 1

No failing instances

duplicate-id-aria: IDs used in ARIA and labels must be unique - WCAG 4.1.2 ✓ 2

No failing instances

frame-focusable-content: Frames with focusable content must not have tabindex=-1 - WCAG 2.1.1 ✓ 0

No matching instances

frame-title: Frames must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

html-has-lang: <html> element must have a lang attribute - WCAG 3.1.1 ✓ 1

No failing instances

html-lang-valid: <html> element must have a valid value for the lang attribute - WCAG 3.1.1 ✓ 1

No failing instances

html-xml-lang-mismatch: HTML elements with lang and xml:lang must have the same base language - WCAG 3.1.1 ✓ 0

No matching instances

image-alt: Images must have alternative text - WCAG 1.1.1 ✓ 4

No failing instances

input-button-name: Input buttons must have discernible text - WCAG 4.1.2 ✓ 0

No matching instances

input-image-alt: Image buttons must have alternative text - WCAG 1.1.1, WCAG 4.1.2 ✓ 0

No matching instances

label: Form elements must have labels - WCAG 4.1.2 ✓ 3

No failing instances

link-in-text-block: Links must be distinguishable without relying on color - WCAG 1.4.1 ✓ 0

No matching instances

link-name: Links must have discernible text - WCAG 2.4.4, WCAG 4.1.2 ✓ 16

No failing instances

list: <ul> and <ol> must only directly contain <li>, <script> or <template> elements - WCAG 1.3.1 ✓ 2

No failing instances

listitem: <li> elements must be contained in a <ul> or <ol> - WCAG 1.3.1 ✓ 14

No failing instances

marquee: <marquee> elements are deprecated and must not be used - WCAG 2.2.2 ✓ 0

No matching instances

meta-refresh: Delayed refresh under 20 hours must not be used - WCAG 2.2.1 ✓ 0

No matching instances

meta-viewport: Zooming and scaling must not be disabled - WCAG 1.4.4 ✓ 1

No failing instances

nested-interactive: Interactive controls must not be nested - WCAG 4.1.2 ✓ 42

No failing instances

object-alt: <object> elements must have alternative text - WCAG 1.1.1 ✓ 0

No matching instances

presentation-role-conflict: Ensure elements marked as presentational are consistently ignored - WCAG 1.3.1 ✓ 0 Best Practice

No matching instances

role-img-alt: [role="img"] elements must have an alternative text - WCAG 1.1.1 ✓ 1

No failing instances

scrollable-region-focusable: Scrollable region must have keyboard access - WCAG 2.1.1 ✓ 1

No failing instances

select-name: Select element must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

server-side-image-map: Server-side image maps must not be used - WCAG 2.1.1 ✓ 0

No matching instances

summary-name: Summary elements must have discernible text - WCAG 4.1.2 ✓ 0

No matching instances

svg-img-alt: <svg> elements with an img role must have an alternative text - WCAG 1.1.1 ✓ 0

No matching instances

td-headers-attr: Table cells that use the headers attribute must only refer to cells in the same table - WCAG 1.3.1 ✓ 0

No matching instances

th-has-data-cells: Table headers in a data table must refer to data cells - WCAG 1.3.1 ✓ 0

No matching instances

valid-lang: lang attribute must have a valid value - WCAG 3.1.2 ✓ 0

No matching instances

video-caption: <video> elements must have captions - WCAG 1.2.2 ✓ 0

No matching instances

Keyboard ✓ 1

Keyboard navigation: Users must be able to *navigate* to all interactive interface components using a keyboard - WCAG 2.1.1 ✓ 0

No matching instances

Focus ✓ 1

Focus order: Components must receive focus in an order that preserves meaning and operability - WCAG 2.4.3 ✓ 0

No matching instances

Headings ✓ 2

No missing headings: Text that *looks like* a heading must be *coded* as a heading - WCAG 1.3.1, WCAG 2.4.6 ✓ 1

Heading level: A heading's *programmatic* level must match the level that's presented *visually* - WCAG 1.3.1 ✓ 7

Path	.my-3 > .card > .card-header.text-bg-primary > .card-title > h4
Snippet	Nieuws
Heading text	Nieuws

Path	#post-92 > .shadow.mb-4.border-rounded > .pt-3.pb-1.justify-content-between > div > h5
Snippet	<h5 class="m-0 p-0 d-flex align-items-start">
Heading text	Ongelezen Corrumpit Mentitum Aeque

Path	#post-57 > .shadow.mb-4.border-rounded > .pt-3.pb-1.justify-content-between > div > h5
Snippet	<h5 class="m-0 p-0 d-flex align-items-start">
Heading text	Ongelezen Ius Eripuit Alterum

Path	#post-50 > .shadow.mb-4.border-rounded > .pt-3.pb-1.justify-content-between > div > h5
Snippet	<h5 class="m-0 p-0 d-flex align-items-start">
Heading text	Ongelezen Laudem Fringilla Menandri

Path	#post-238 > .shadow.mb-4.border-rounded > .pt-3.pb-1.justify-content-between > div > h5
Snippet	<h5 class="m-0 p-0 d-flex align-items-start">
Heading text	Ongelezen PublicationTitle for language NL

Path	#post-237 > .shadow.mb-4.border-rounded > .pt-3.pb-1.justify-content-between > div > h5
Snippet	<h5 class="m-0 p-0 d-flex align-items-start">
Heading text	Ongelezen PublicationTitle for language NL

Path	.col-lg-4 > .card > .card-header.text-bg-primary > .card-title > h4
Snippet	Filter
Heading text	Filter

Repetitive content ✓ 1

Bypass blocks: A page must provide a keyboard-accessible method to bypass repetitive content - WCAG 2.4.1 ✓ 0

No matching instances

Links ✓ 1

Link purpose: The purpose of a link must be described by its link text alone, or by the link text together with preceding page context - WCAG 2.4.4 ✓ 16

Path	a[href$="#content"]
Snippet	Doorgaan naar hoofdinhoud
Accessible name	Doorgaan naar hoofdinhoud
Accessible description	(no value)
URL	#content

Path	a[href$="#bottom-bar"]
Snippet	Doorgaan naar snelmenu
Accessible name	Doorgaan naar snelmenu
Accessible description	(no value)
URL	#bottom-bar

Path	.navbar-brand
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>Terug naar home

Accessible name	42-DEV BV Terug naar home
Accessible description	(no value)
URL	/

Path	.dropdown.nav-item:nth-child(1) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">color_lens</i>42
Accessible name	color_lens42
Accessible description	(no value)
URL	#

Path	.dropdown.nav-item:nth-child(2) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class=" d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">public</i>Nederlands
Accessible name	publicNederlands
Accessible description	(no value)
URL	#

Path	.dropdown.nav-item:nth-child(5) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="dropdown-toggle nav-link" aria-expanded="false">
Accessible name	deelnemer@42.nl Diederik Deelnemer
Accessible description	(no value)
URL	#

Path	a[href="/publications/news/92"]
Snippet	Corrumpit Mentitum Aeque
Accessible name	Corrumpit Mentitum Aeque
Accessible description	(no value)
URL	/publications/news/92

Path	a[href="/publications/news/57"]
Snippet	Ius Eripuit Alterum
Accessible name	Ius Eripuit Alterum
Accessible description	(no value)
URL	/publications/news/57

Path	a[href="/publications/news/50"]
Snippet	Laudem Fringilla Menandri
Accessible name	Laudem Fringilla Menandri
Accessible description	(no value)
URL	/publications/news/50

Path	a[href="/publications/news/238"]
Snippet	PublicationTitle for language NL
Accessible name	PublicationTitle for language NL
Accessible description	(no value)
URL	/publications/news/238

Path	a[href="/publications/news/237"]
Snippet	PublicationTitle for language NL
Accessible name	PublicationTitle for language NL
Accessible description	(no value)
URL	/publications/news/237

Path	a[href$="dashboard"]
Snippet	<a class="text-decoration-none" href="/dashboard" data-discover="true">
Accessible name	homeHome
Accessible description	(no value)
URL	/dashboard

Path	a[href$="chats"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	messageChats
Accessible description	(no value)
URL	/chats

Path	a[href$="news"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts135Nieuws
Accessible description	(no value)
URL	/publications/news

Path	a[href$="events"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_today2Evenement
Accessible description	(no value)
URL	/publications/events

Path	a[href$="external-info"]
Snippet	<a class="text-decoration-none" href="/publications/external-info" data-discover="true">
Accessible name	info5Externe informatie
Accessible description	(no value)
URL	/publications/external-info

Native widgets ✓ 1

Instructions: If a native widget has a visible label or instructions, they must be programmatically determinable – WCAG 1.3.1, WCAG 2.5.3 ✓ 22 New for WCAG 2.1

Path	.btn-md
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">arrow_back</i>Terug</div></button>
Element	button
Accessible name	arrow_backTerug
Accessible description	(no value)

Path	button[icon="block"]
Snippet	<button type="button" icon="block" class="float-end btn btn-primary">Herstellen</button>
Element	button
Accessible name	Herstellen
Accessible description	(no value)

Path	.ps-3.my-2.btn-sm:nth-child(1)
Snippet	<button type="button" class="ps-3 py-1 me-2 my-2 btn btn-primary btn-sm" style="border-radius: 50px;"><div class="d-flex align-items-center">Relevant voor mij<i class="icon material-icons material-icons__filled ms-2" style="font-size: 14px;">close</i></div></button>
Element	button
Accessible name	Relevant voor mijclose
Accessible description	(no value)

Path	.ps-3.my-2.btn-sm:nth-child(2)
Snippet	<button type="button" class="ps-3 py-1 me-2 my-2 btn btn-primary btn-sm" style="border-radius: 50px;"><div class="d-flex align-items-center">Alleen ongelezen<i class="icon material-icons material-icons__filled ms-2" style="font-size: 14px;">close</i></div></button>
Element	button
Accessible name	Alleen ongelezenclose
Accessible description	(no value)

Path	#post-92 > .shadow.mb-4.border-rounded > .p-3.pt-0 > .mt-3.mb-2.flex-wrap > .btn-link.mt-1.me-2
Snippet	<button type="button" tabindex="0" class="btn btn-link p-0 me-2 mt-1"><i class="icon material-icons material-icons__filled text-danger text-muted" style="font-size: 23px;">favorite</i>Reageer met emoticon</button>
Element	button
Accessible name	favoriteReageer met emoticon
Accessible description	(no value)

Path	#post-57 > .shadow.mb-4.border-rounded > .p-3.pt-0 > .mt-3.mb-2.flex-wrap > .btn-link.mt-1.me-2
Snippet	<button type="button" tabindex="0" class="btn btn-link p-0 me-2 mt-1"><i class="icon material-icons material-icons__filled text-danger text-muted" style="font-size: 23px;">favorite</i>Reageer met emoticon</button>
Element	button
Accessible name	favoriteReageer met emoticon
Accessible description	(no value)

Path	#post-50 > .shadow.mb-4.border-rounded > .p-3.pt-0 > .mt-3.mb-2.flex-wrap > .btn-link.mt-1.me-2
Snippet	<button type="button" tabindex="0" class="btn btn-link p-0 me-2 mt-1"><i class="icon material-icons material-icons__filled text-danger text-muted" style="font-size: 23px;">favorite</i>Reageer met emoticon</button>
Element	button
Accessible name	favoriteReageer met emoticon
Accessible description	(no value)

Path	#post-238 > .shadow.mb-4.border-rounded > .p-3.pt-0 > .mt-3.mb-2.flex-wrap > .btn-link.mt-1.me-2
Snippet	<button type="button" tabindex="0" class="btn btn-link p-0 me-2 mt-1"><i class="icon material-icons material-icons__filled text-danger text-muted" style="font-size: 23px;">favorite</i>Reageer met emoticon</button>
Element	button
Accessible name	favoriteReageer met emoticon
Accessible description	(no value)

Path	#post-237 > .shadow.mb-4.border-rounded > .p-3.pt-0 > .mt-3.mb-2.flex-wrap > .btn-link.mt-1.me-2
Snippet	<button type="button" tabindex="0" class="btn btn-link p-0 me-2 mt-1"><i class="icon material-icons material-icons__filled text-danger text-muted" style="font-size: 23px;">favorite</i>Reageer met emoticon</button>
Element	button
Accessible name	favoriteReageer met emoticon
Accessible description	(no value)

Path	.disabled.page-item > .page-link
Snippet	<button class="page-link"><i class="icon material-icons material-icons__filled" style="font-size: 14px;">arrow_back</i></button>
Element	button
Accessible name	arrow_back
Accessible description	(no value)

Path	.active.page-item > .page-link[type="button"]
Snippet	<button type="button" class="page-link">1</button>
Element	button
Accessible name	1
Accessible description	(no value)

Path	.page-item:nth-child(3) > .page-link[type="button"]
Snippet	<button type="button" class="page-link">2</button>
Element	button
Accessible name	2
Accessible description	(no value)

Path	.page-item:nth-child(4) > .page-link[type="button"]
Snippet	<button type="button" class="page-link">3</button>
Element	button
Accessible name	3
Accessible description	(no value)

Path	.disabled.page-link[type="button"]
Snippet	<button disabled="" type="button" class="disabled page-link">...</button>
Element	button
Accessible name	...
Accessible description	(no value)

Path	.page-item:nth-child(6) > .page-link[type="button"]
Snippet	<button type="button" class="page-link">25</button>
Element	button
Accessible name	25
Accessible description	(no value)

Path	.page-item:nth-child(7) > .page-link[type="button"]
Snippet	<button type="button" class="page-link">26</button>
Element	button
Accessible name	26
Accessible description	(no value)

Path	.page-item:nth-child(8) > .page-link[type="button"]
Snippet	<button type="button" class="page-link">27</button>
Element	button
Accessible name	27
Accessible description	(no value)

Path	.page-item:nth-child(9) > .page-link[type="button"]
Snippet	<button type="button" class="page-link"><i class="icon material-icons material-icons__filled" style="font-size: 14px;">arrow_forward</i></button>
Element	button
Accessible name	arrow_forward
Accessible description	(no value)

Path	#\35 2
Snippet	<input placeholder="Zoeken..." id="52" type="text" class="form-control" value="">
Element	input type="text"
Accessible name	Zoeken
Accessible description	(no value)

Path	#myAllFilter
Snippet	<input id="myAllFilter" type="checkbox" aria-label="Relevant voor mij" checked="">
Element	input type="checkbox"
Accessible name	Relevant voor mij
Accessible description	(no value)

Path	#unreadOnly
Snippet	<input id="unreadOnly" type="checkbox" aria-label="Alleen ongelezen" checked="">
Element	input type="checkbox"
Accessible name	Alleen ongelezen
Accessible description	(no value)

Path	.tsqd-open-btn
Snippet	<button type="button" aria-label="Open Tanstack query devtools" class="tsqd-open-btn">
Element	button
Accessible name	Open Tanstack query devtools
Accessible description	(no value)

Images ✓ 1

Image function: Every image must be coded as either meaningful or decorative - WCAG 1.1.1 ✓ 6

Path	.logo
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>
Image type	Role="img"
Coded as	Meaningful
ARIA role	(no value)
Accessible name	42-DEV BV

Path	img[alt="deelnemer@42.nl"]
Snippet	<img alt="deelnemer@42.nl" src="/api/photos/1d0d8c87-a786-444d-b71a-544dbad57ad4.jpg">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	deelnemer@42.nl

Path	img[alt="Corrumpit Mentitum Aeque"]
Snippet	<img alt="Corrumpit Mentitum Aeque" class="img-fluid mb-3 ms-3 float-end" src="/api/photos/9436e315-07d0-4bdb-a35c-d0d30c68b057.jpg" style="max-height: 350px; max-width: 50%;">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	Corrumpit Mentitum Aeque

Path	img[alt="Ius Eripuit Alterum"]
Snippet	<img alt="Ius Eripuit Alterum" class="img-fluid mb-3 ms-3 float-end" src="/api/photos/25a7624c-650b-483d-a03b-fea10ba0d43f.jpg" style="max-height: 350px; max-width: 50%;">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	Ius Eripuit Alterum

Path	img[alt="Laudem Fringilla Menandri"]
Snippet	<img alt="Laudem Fringilla Menandri" class="img-fluid mb-3 ms-3 float-end" src="/api/photos/dfaa4a87-bb3c-442a-881e-47136a2892e1.jpg" style="max-height: 350px; max-width: 50%;">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	Laudem Fringilla Menandri

Path	.tsqd-open-btn > svg
Snippet	<svg version="1.0" viewBox="0 0 633 633">
Coded as	Decorative
ARIA role	(no value)
Accessible name	(no value)

Adaptable content ✓ 1

Reflow: Content must be visible without having to scroll in two dimensions - WCAG 1.4.10 ✓ 0 New for WCAG 2.1

No matching instances

Contrast ✓ 1

UI components: Visual information used to identify active user interface components and their states must have sufficient contrast - WCAG 1.4.11 ✓ 57 New for WCAG 2.1

Path	a[href$="#content"]
Snippet	Doorgaan naar hoofdinhoud
Accessible name	Doorgaan naar hoofdinhoud
Element	link

Path	a[href$="#bottom-bar"]
Snippet	Doorgaan naar snelmenu
Accessible name	Doorgaan naar snelmenu
Element	link

Path	.navbar-brand
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>Terug naar home
Accessible name	42-DEV BV Terug naar home
Element	link

Path	.dropdown.nav-item:nth-child(1) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">color_lens</i>42
Accessible name	color_lens42
Element	link

Path	.dropdown.nav-item:nth-child(2) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class=" d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">public</i>Nederlands
Accessible name	publicNederlands
Element	link

Path	.dropdown.nav-item:nth-child(5) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="dropdown-toggle nav-link" aria-expanded="false">
Accessible name	deelnemer@42.nl Diederik Deelnemer
Element	link

Path	a[href="/publications/news/92"]
Snippet	Corrumpit Mentitum Aeque
Accessible name	Corrumpit Mentitum Aeque
Element	link

Path	a[href="/publications/news/57"]
Snippet	Ius Eripuit Alterum
Accessible name	Ius Eripuit Alterum
Element	link

Path	a[href="/publications/news/50"]
Snippet	Laudem Fringilla Menandri
Accessible name	Laudem Fringilla Menandri
Element	link

Path	a[href="/publications/news/238"]
Snippet	PublicationTitle for language NL
Accessible name	PublicationTitle for language NL
Element	link

Path	a[href="/publications/news/237"]
Snippet	PublicationTitle for language NL
Accessible name	PublicationTitle for language NL
Element	link

Path	a[href$="dashboard"]
Snippet	<a class="text-decoration-none" href="/dashboard" data-discover="true">
Accessible name	homeHome
Element	link

Path	a[href$="chats"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	messageChats
Element	link

Path	a[href$="news"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts135Nieuws
Element	link

Path	a[href$="events"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_today2Evenement
Element	link

Path	a[href$="external-info"]
Snippet	<a class="text-decoration-none" href="/publications/external-info" data-discover="true">
Accessible name	info5Externe informatie
Element	link

Path	.btn-md
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">arrow_back</i>Terug</div></button>
Accessible name	arrow_backTerug
Element	button

Path	button[icon="block"]
Snippet	<button type="button" icon="block" class="float-end btn btn-primary">Herstellen</button>
Accessible name	Herstellen
Element	button

Path	.ps-3.my-2.btn-sm:nth-child(1)
Snippet	<button type="button" class="ps-3 py-1 me-2 my-2 btn btn-primary btn-sm" style="border-radius: 50px;"><div class="d-flex align-items-center">Relevant voor mij<i class="icon material-icons material-icons__filled ms-2" style="font-size: 14px;">close</i></div></button>
Accessible name	Relevant voor mijclose
Element	button

Path	.ps-3.my-2.btn-sm:nth-child(2)
Snippet	<button type="button" class="ps-3 py-1 me-2 my-2 btn btn-primary btn-sm" style="border-radius: 50px;"><div class="d-flex align-items-center">Alleen ongelezen<i class="icon material-icons material-icons__filled ms-2" style="font-size: 14px;">close</i></div></button>
Accessible name	Alleen ongelezenclose
Element	button

Path	#post-92 > .shadow.mb-4.border-rounded > .p-3.pt-0 > .mt-3.mb-2.flex-wrap > .btn-link.mt-1.me-2
Snippet	<button type="button" tabindex="0" class="btn btn-link p-0 me-2 mt-1"><i class="icon material-icons material-icons__filled text-danger text-muted" style="font-size: 23px;">favorite</i>Reageer met emoticon</button>
Accessible name	favoriteReageer met emoticon
Element	button

Path	#post-57 > .shadow.mb-4.border-rounded > .p-3.pt-0 > .mt-3.mb-2.flex-wrap > .btn-link.mt-1.me-2
Snippet	<button type="button" tabindex="0" class="btn btn-link p-0 me-2 mt-1"><i class="icon material-icons material-icons__filled text-danger text-muted" style="font-size: 23px;">favorite</i>Reageer met emoticon</button>
Accessible name	favoriteReageer met emoticon
Element	button

Path	#post-50 > .shadow.mb-4.border-rounded > .p-3.pt-0 > .mt-3.mb-2.flex-wrap > .btn-link.mt-1.me-2
Snippet	<button type="button" tabindex="0" class="btn btn-link p-0 me-2 mt-1"><i class="icon material-icons material-icons__filled text-danger text-muted" style="font-size: 23px;">favorite</i>Reageer met emoticon</button>
Accessible name	favoriteReageer met emoticon
Element	button

Path	#post-238 > .shadow.mb-4.border-rounded > .p-3.pt-0 > .mt-3.mb-2.flex-wrap > .btn-link.mt-1.me-2
Snippet	<button type="button" tabindex="0" class="btn btn-link p-0 me-2 mt-1"><i class="icon material-icons material-icons__filled text-danger text-muted" style="font-size: 23px;">favorite</i>Reageer met emoticon</button>
Accessible name	favoriteReageer met emoticon
Element	button

Path	#post-237 > .shadow.mb-4.border-rounded > .p-3.pt-0 > .mt-3.mb-2.flex-wrap > .btn-link.mt-1.me-2
Snippet	<button type="button" tabindex="0" class="btn btn-link p-0 me-2 mt-1"><i class="icon material-icons material-icons__filled text-danger text-muted" style="font-size: 23px;">favorite</i>Reageer met emoticon</button>
Accessible name	favoriteReageer met emoticon
Element	button

Path	.disabled.page-item > .page-link
Snippet	<button class="page-link"><i class="icon material-icons material-icons__filled" style="font-size: 14px;">arrow_back</i></button>
Accessible name	arrow_back
Element	button

Path	.active.page-item > .page-link[type="button"]
Snippet	<button type="button" class="page-link">1</button>
Accessible name	1
Element	button

Path	.page-item:nth-child(3) > .page-link[type="button"]
Snippet	<button type="button" class="page-link">2</button>
Accessible name	2
Element	button

Path	.page-item:nth-child(4) > .page-link[type="button"]
Snippet	<button type="button" class="page-link">3</button>
Accessible name	3
Element	button

Path	.disabled.page-link[type="button"]
Snippet	<button disabled="" type="button" class="disabled page-link">...</button>
Accessible name	...
Element	button

Path	.page-item:nth-child(6) > .page-link[type="button"]
Snippet	<button type="button" class="page-link">25</button>
Accessible name	25
Element	button

Path	.page-item:nth-child(7) > .page-link[type="button"]
Snippet	<button type="button" class="page-link">26</button>
Accessible name	26
Element	button

Path	.page-item:nth-child(8) > .page-link[type="button"]
Snippet	<button type="button" class="page-link">27</button>
Accessible name	27
Element	button

Path	.page-item:nth-child(9) > .page-link[type="button"]
Snippet	<button type="button" class="page-link"><i class="icon material-icons material-icons__filled" style="font-size: 14px;">arrow_forward</i></button>
Accessible name	arrow_forward
Element	button

Path	#\35 2
Snippet	<input placeholder="Zoeken..." id="52" type="text" class="form-control" value="">

Accessible name	Zoeken
Element	input type="text"

Path	#myAllFilter
Snippet	<input id="myAllFilter" type="checkbox" aria-label="Relevant voor mij" checked="">
Accessible name	Relevant voor mij
Element	input type="checkbox"

Path	#unreadOnly
Snippet	<input id="unreadOnly" type="checkbox" aria-label="Alleen ongelezen" checked="">
Accessible name	Alleen ongelezen
Element	input type="checkbox"

Path	.tsqd-open-btn
Snippet	<button type="button" aria-label="Open Tanstack query devtools" class="tsqd-open-btn">
Accessible name	Open Tanstack query devtools
Element	button

Path	.chat-notifications > .nav-link.clickable[role="button"]
Snippet	<button class="clickable nav-link" tabindex="0" role="button" aria-expanded="false"><i class="icon material-icons material-icons__filled mt-1">question_answer</i>Chatgesprekken</button>
Accessible name	question_answerChatgesprekken
Role	button

Path	.internal-notifications > .nav-link.clickable[role="button"]
Snippet	<button class="clickable nav-link" tabindex="0" role="button" aria-expanded="false">
Accessible name	notifications34Meldingen
Role	button

Path	.avatar > span[role="button"]
Snippet	<img alt="deelnemer@42.nl" src="/api/photos/1d0d8c87-a786-444d-b71a-544dbad57ad4.jpg">
Accessible name	deelnemer@42.nl
Role	button

Path	.alert-warning
Snippet	<div class="d-print-none alert alert-warning fade show" open="" role="alert">
Accessible name	(no value)
Role	alert

Path	.alert-info
Snippet	<div class="alert alert-info fade show" role="alert">135 resultaten gevonden</div>
Accessible name	(no value)
Role	alert

Path	#post-92 > .shadow.mb-4.border-rounded > .pt-3.pb-1.justify-content-between > div > h5 > .d-inline-flex.me-2[role="button"]
Snippet	Ongelezen
Accessible name	Ongelezen
Role	button

Path	.active-emoji-mine
Snippet	<div class="d-flex flex-row me-1 pe-1 align-items-center card">😲<small class="px-1 text-muted fw-light">1</small></div>
Accessible name	😲1
Role	button

Path	#post-92 > .shadow.mb-4.border-rounded > .p-3.pt-0 > .mt-3.mb-2.flex-wrap > div:nth-child(3) > .active-emoji[role="button"]
Snippet	<div class="d-flex flex-row me-1 pe-1 align-items-center card">😭<small class="px-1 text-muted fw-light">1</small></div>
Accessible name	😭1
Role	button

Path	#post-57 > .shadow.mb-4.border-rounded > .pt-3.pb-1.justify-content-between > div > h5 > .d-inline-flex.me-2[role="button"]
Snippet	Ongelezen
Accessible name	Ongelezen
Role	button

Path	#post-57 > .shadow.mb-4.border-rounded > .p-3.pt-0 > .mt-3.mb-2.flex-wrap > div:nth-child(2) > .active-emoji[role="button"]
Snippet	
Accessible name	favoriteheart1
Role	button

Path	#post-57 > .shadow.mb-4.border-rounded > .p-3.pt-0 > .mt-3.mb-2.flex-wrap > div:nth-child(3) > .active-emoji[role="button"]
Snippet	<div class="d-flex flex-row me-1 pe-1 align-items-center card">😲<small class="px-1 text-muted fw-light">1</small></div>
Accessible name	😲1
Role	button

Path	#post-50 > .shadow.mb-4.border-rounded > .pt-3.pb-1.justify-content-between > div > h5 > .d-inline-flex.me-2[role="button"]
Snippet	Ongelezen
Accessible name	Ongelezen
Role	button

Path	#post-50 > .shadow.mb-4.border-rounded > .p-3.pt-0 > .mt-3.mb-2.flex-wrap > div:nth-child(2) > .active-emoji[role="button"]
Snippet	
Accessible name	favoriteheart1
Role	button

Path	#post-50 > .shadow.mb-4.border-rounded > .p-3.pt-0 > .mt-3.mb-2.flex-wrap > div:nth-child(3) > .active-emoji[role="button"]
Snippet	
Accessible name	thumb_uplike1
Role	button

Path	div:nth-child(4) > .active-emoji[role="button"]
Snippet	<div class="d-flex flex-row me-1 pe-1 align-items-center card">😲<small class="px-1 text-muted fw-light">1</small></div>
Accessible name	😲1
Role	button

Path	#post-238 > .shadow.mb-4.border-rounded > .pt-3.pb-1.justify-content-between > div > h5 > .d-inline-flex.me-2[role="button"]
Snippet	Ongelezen
Accessible name	Ongelezen
Role	button

Path	#post-237 > .shadow.mb-4.border-rounded > .pt-3.pb-1.justify-content-between > div > h5 > .d-inline-flex.me-2[role="button"]
Snippet	Ongelezen
Accessible name	Ongelezen
Role	button

Path	label[for="myAllFilter"] > .ms-2[role="button"]
Snippet	<i class="icon material-icons material-icons__filled" style="font-size: 16px;">info</i>
Accessible name	info
Role	button

Path	label[for="unreadyOnly"] > .ms-2[role="button"]
Snippet	<i class="icon material-icons material-icons__filled" style="font-size: 16px;">info</i>
Accessible name	info
Role	button

This assessment report was generated using Accessibility Insights for Web 2.46.0 (axe-core 4.10.2), a tool that helps debug and find accessibility issues earlier on Chrome version 134.0.0.0. Get more information & download this tool at http://aka.ms/AccessibilityInsights

Accessibility Insights for Web

Target page: localhost:3000/form-submissions

QuickAssess report

This report shows the results from a combination of assisted and manual tests that cover limited aspects of the WCAG 2.1 AA and 2.2 AA success criteria.

Summary

✓ 100% ○ 0% × 0%

Test details

Automated checks	✓ 60	Links	✓
Keyboard	✓	Native widgets	✓
Focus	✓	Images	✓
Headings	✓ ✓	Adaptable content	✓
Repetitive content	✓	Contrast	✓

Scan details

http://localhost:3000/form-submissions

3/21/2025, 1:19:42 PM UTC

Formulieren - Deelnemer

Failed tests ✗ 0

Incomplete tests ○ 0

Passed tests ✓ 70

Automated checks ✓ 60

area-alt: Active <area> elements must have alternative text - WCAG 2.4.4, WCAG 4.1.2 ✓ 0

No matching instances

aria-allowed-attr: Elements must only use supported ARIA attributes - WCAG 4.1.2 ✓ 8

No failing instances

aria-allowed-role: ARIA role should be appropriate for the element - WCAG 1.3.1, WCAG 4.1.2 ✓ 25 Best Practice

No failing instances

aria-command-name: ARIA commands must have an accessible name - WCAG 4.1.2 ✓ 1

No failing instances

aria-conditional-attr: ARIA attributes must be used as specified for the element's role - WCAG 4.1.2 ✓ 8

No failing instances

aria-deprecated-role: Deprecated ARIA roles must not be used - WCAG 4.1.2 ✓ 5

No failing instances

aria-hidden-body: aria-hidden="true" must not be present on the document body - WCAG 1.3.1, WCAG 4.1.2 ✓ 1

No failing instances

aria-hidden-focus: ARIA hidden element must not be focusable or contain focusable elements - WCAG 4.1.2 ✓ 4

No failing instances

aria-input-field-name: ARIA input fields must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-meter-name: ARIA meter nodes must have an accessible name - WCAG 1.1.1 ✓ 0

No matching instances

aria-progressbar-name: ARIA progressbar nodes must have an accessible name - WCAG 1.1.1 ✓ 0

No matching instances

aria-prohibited-attr: Elements must only use permitted ARIA attributes - WCAG 4.1.2 ✓ 8

No failing instances

aria-required-attr: Required ARIA attributes must be provided - WCAG 4.1.2 ✓ 5

No failing instances

aria-required-children: Certain ARIA roles must contain particular children - WCAG 1.3.1 ✓ 0

No matching instances

aria-required-parent: Certain ARIA roles must be contained by particular parents - WCAG 1.3.1 ✓ 0

No matching instances

aria-roles: ARIA roles used must conform to valid values - WCAG 4.1.2 ✓ 5

No failing instances

aria-toggle-field-name: ARIA toggle fields must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-tooltip-name: ARIA tooltip nodes must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-valid-attr-value: ARIA attributes must conform to valid values - WCAG 4.1.2 ✓ 8

No failing instances

aria-valid-attr: ARIA attributes must conform to valid names - WCAG 4.1.2 ✓ 8

No failing instances

audio-caption: <audio> elements must have a captions track - WCAG 1.2.1 ✓ 0

No matching instances

autocomplete-valid: autocomplete attribute must be used correctly - WCAG 1.3.5 ✓ 0 New for WCAG 2.1

No matching instances

avoid-inline-spacing: Inline text spacing must be adjustable with custom stylesheets - WCAG 1.4.12 ✓ 15 New for WCAG 2.1

No failing instances

blink: <blink> elements are deprecated and must not be used - WCAG 2.2.2 ✓ 0

No matching instances

button-name: Buttons must have discernible text - WCAG 4.1.2 ✓ 5

No failing instances

bypass: Page must have means to bypass repeated blocks - WCAG 2.4.1 ✓ 1

No failing instances

color-contrast: Elements must meet minimum color contrast ratio thresholds - WCAG 1.4.3 ✓ 26

No failing instances

definition-list: <dl> elements must only directly contain properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements - WCAG 1.3.1 ✓ 0

No matching instances

dlitem: <dt> and <dd> elements must be contained by a <dl> - WCAG 1.3.1 ✓ 0

No matching instances

document-title: Documents must have <title> element to aid in navigation - WCAG 2.4.2 ✓ 1

No failing instances

duplicate-id-aria: IDs used in ARIA and labels must be unique - WCAG 4.1.2 ✓ 0

No matching instances

frame-focusable-content: Frames with focusable content must not have tabindex=-1 - WCAG 2.1.1 ✓ 0

No matching instances

frame-title: Frames must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

html-has-lang: <html> element must have a lang attribute - WCAG 3.1.1 ✓ 1

No failing instances

html-lang-valid: <html> element must have a valid value for the lang attribute - WCAG 3.1.1 ✓ 1

No failing instances

html-xml-lang-mismatch: HTML elements with lang and xml:lang must have the same base language - WCAG 3.1.1 ✓ 0

No matching instances

image-alt: Images must have alternative text - WCAG 1.1.1 ✓ 3

No failing instances

input-button-name: Input buttons must have discernible text - WCAG 4.1.2 ✓ 0

No matching instances

input-image-alt: Image buttons must have alternative text - WCAG 1.1.1, WCAG 4.1.2 ✓ 0

No matching instances

label: Form elements must have labels - WCAG 4.1.2 ✓ 1

No failing instances

link-in-text-block: Links must be distinguishable without relying on color - WCAG 1.4.1 ✓ 0

No matching instances

link-name: Links must have discernible text - WCAG 2.4.4, WCAG 4.1.2 ✓ 11

No failing instances

list: <ul> and <ol> must only directly contain <li>, <script> or <template> elements - WCAG 1.3.1 ✓ 2

No failing instances

listitem: <li> elements must be contained in a <ul> or <ol> - WCAG 1.3.1 ✓ 9

No failing instances

marquee: <marquee> elements are deprecated and must not be used - WCAG 2.2.2 ✓ 0

No matching instances

meta-refresh: Delayed refresh under 20 hours must not be used - WCAG 2.2.1 ✓ 0

No matching instances

meta-viewport: Zooming and scaling must not be disabled - WCAG 1.4.4 ✓ 1

No failing instances

nested-interactive: Interactive controls must not be nested - WCAG 4.1.2 ✓ 10

No failing instances

object-alt: <object> elements must have alternative text - WCAG 1.1.1 ✓ 0

No matching instances

presentation-role-conflict: Ensure elements marked as presentational are consistently ignored - WCAG 1.3.1 ✓ 0 Best Practice

No matching instances

role-img-alt: [role="img"] elements must have an alternative text - WCAG 1.1.1 ✓ 1

No failing instances

scrollable-region-focusable: Scrollable region must have keyboard access - WCAG 2.1.1 ✓ 0

No matching instances

select-name: Select element must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

server-side-image-map: Server-side image maps must not be used - WCAG 2.1.1 ✓ 0

No matching instances

summary-name: Summary elements must have discernible text - WCAG 4.1.2 ✓ 0

No matching instances

svg-img-alt: <svg> elements with an img role must have an alternative text - WCAG 1.1.1 ✓ 0

No matching instances

td-headers-attr: Table cells that use the headers attribute must only refer to cells in the same table - WCAG 1.3.1 ✓ 0

No matching instances

th-has-data-cells: Table headers in a data table must refer to data cells - WCAG 1.3.1 ✓ 0

No matching instances

valid-lang: lang attribute must have a valid value - WCAG 3.1.2 ✓ 0

No matching instances

video-caption: <video> elements must have captions - WCAG 1.2.2 ✓ 0

No matching instances

Keyboard ✓ 1

Keyboard navigation: Users must be able to *navigate* to all interactive interface components using a keyboard - WCAG 2.1.1 ✓ 1

Focus ✓ 1

Focus order: Components must receive focus in an order that preserves meaning and operability - WCAG 2.4.3 ✓ 0

No matching instances

Headings ✓ 2

No missing headings: Text that *looks like* a heading must be *coded* as a heading - WCAG 1.3.1, WCAG 2.4.6 ✓ 1

Heading level: A heading's *programmatic* level must match the level that's presented *visually* - WCAG 1.3.1 ✓ 1

Path	h2
Snippet	<h2 class="flex-fill align-self-center mb-0">Formulieren</h2>
Heading text	Formulieren

Repetitive content ✓ 1

Bypass blocks: A page must provide a keyboard-accessible method to bypass repetitive content - WCAG 2.4.1 ✓ 0

No matching instances

Links ✓ 1

Link purpose: The purpose of a link must be described by its link text alone, or by the link text together with preceding page context - WCAG 2.4.4 ✓ 15

Path	a[href$="#content"]
Snippet	Doorgaan naar hoofdinhoud
Accessible name	Doorgaan naar hoofdinhoud
Accessible description	(no value)
URL	#content

Path	a[href$="#bottom-bar"]
Snippet	Doorgaan naar snelmenu
Accessible name	Doorgaan naar snelmenu
Accessible description	(no value)
URL	#bottom-bar

Path	.navbar-brand
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>Terug naar home
Accessible name	42-DEV BV Terug naar home
Accessible description	(no value)
URL	/

Path	.dropdown:nth-child(1) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">color_lens</i>42
Accessible name	color_lens42
Accessible description	(no value)
URL	#

Path	.dropdown:nth-child(2) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class=" d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">public</i>Nederlands
Accessible name	publicNederlands
Accessible description	(no value)
URL	#

Path	.dropdown:nth-child(5) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="dropdown-toggle nav-link" aria-expanded="false">
Accessible name	dorien_1965@planet.net Dorien de Vries
Accessible description	(no value)
URL	#

Path	.active.nav-link
Snippet	Alle
Accessible name	Alle
Accessible description	(no value)
URL	(no value)

Path	.dropdown-pills-navigation > li:nth-child(2) > .nav-link
Snippet	Concept
Accessible name	Concept
Accessible description	(no value)
URL	(no value)

Path	.dropdown-pills-navigation > li:nth-child(3) > .nav-link
Snippet	Wachten op goedkeuring
Accessible name	Wachten op goedkeuring
Accessible description	(no value)
URL	(no value)

Path	.dropdown-pills-navigation > li:nth-child(4) > .nav-link
Snippet	Afgerond
Accessible name	Afgerond
Accessible description	(no value)
URL	(no value)

Path	a[href$="dashboard"]
Snippet	<a class="text-decoration-none" href="/dashboard" data-discover="true">
Accessible name	homeHome
Accessible description	(no value)
URL	/dashboard

Path	a[href$="chats"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	messageChats
Accessible description	(no value)
URL	/chats

Path	a[href$="news"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts132Nieuws
Accessible description	(no value)
URL	/publications/news

Path	a[href$="events"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_todayEvenement
Accessible description	(no value)
URL	/publications/events

Path	a[href$="external-info"]
Snippet	<a class="text-decoration-none" href="/publications/external-info" data-discover="true">
Accessible name	infoExterne informatie
Accessible description	(no value)
URL	/publications/external-info

Native widgets ✓ 1

Instructions: If a native widget has a visible label or instructions, they must be programmatically determinable - WCAG 1.3.1, WCAG 2.5.3 ✓ 4 New for WCAG 2.1

Path	.btn-md
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">arrow_back</i>Terug</div></button>
Element	button
Accessible name	arrow_backTerug
Accessible description	(no value)

Path	button[icon="block"]
Snippet	<button type="button" icon="block" class="float-end btn btn-primary">Herstellen</button>
Element	button
Accessible name	Herstellen
Accessible description	(no value)

Path	#\31 6
Snippet	<input id="16" placeholder="Zoek op naam" aria-label="Zoek op naam" type="search" class="form-control" value="">
Element	input type="search"
Accessible name	Zoek op naam
Accessible description	(no value)

Path	.tsqd-open-btn
Snippet	<button type="button" aria-label="Open Tanstack query devtools" class="tsqd-open-btn">
Element	button
Accessible name	Open Tanstack query devtools
Accessible description	(no value)

Images ✓ 1

Image function: Every image must be coded as either meaningful or decorative - WCAG 1.1.1 ✓ 5

Path	.logo
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>
Image type	Role="img"
Coded as	Meaningful
ARIA role	(no value)
Accessible name	42-DEV BV

Path	img[alt="dorien_1965@planet.net"]
Snippet	<img alt="dorien_1965@planet.net" src="/api/photos/95ed8aa2-f8f6-48ac-8c9d-9bb947c32116.png">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	dorien_1965@planet.net

Path	.align-self-end > .pe-none.align-items-center.d-flex > .border-white.m-0.shadow-sm > .display-block.m-auto[alt="Dorien de Vries"]
Snippet	<img src="/api/photos/95ed8aa2-f8f6-48ac-8c9d-9bb947c32116.png" class="display-block m-auto rounded-circle" alt="Dorien de Vries" style="width: 27px; height: 27px; min-height: 27px; min-width: 27px;">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	Dorien de Vries

Path	.order-2 > .pe-none.align-items-center.d-flex > .border-white.m-0.shadow-sm > .display-block.m-auto[alt="Dorien de Vries"]
Snippet	<img src="/api/photos/95ed8aa2-f8f6-48ac-8c9d-9bb947c32116.png" class="display-block m-auto rounded-circle" alt="Dorien de Vries" style="width: 18px; height: 18px; min-height: 18px; min-width: 18px;">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	Dorien de Vries

Path	.tsqd-open-btn > svg
Snippet	<svg version="1.0" viewBox="0 0 633 633">
Coded as	Decorative
ARIA role	(no value)
Accessible name	(no value)

Adaptable content ✓ 1

Reflow: Content must be visible without having to scroll in two dimensions - WCAG 1.4.10 ✓ 0 New for WCAG 2.1

No matching instances

Contrast ✓ 1

UI components: Visual information used to identify active user interface components and their states must have sufficient contrast - WCAG 1.4.11 ✓ 23 New for WCAG 2.1

Path	a[href$="#content"]
Snippet	Doorgaan naar hoofdinhoud
Accessible name	Doorgaan naar hoofdinhoud
Element	link

Path	a[href$="#bottom-bar"]
Snippet	Doorgaan naar snelmenu
Accessible name	Doorgaan naar snelmenu
Element	link

Path	.navbar-brand
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>Terug naar home
Accessible name	42-DEV BV Terug naar home
Element	link

Path	.dropdown:nth-child(1) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">color_lens</i>42
Accessible name	color_lens42
Element	link

Path	.dropdown:nth-child(2) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class=" d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">public</i>Nederlands
Accessible name	publicNederlands
Element	link

Path	.dropdown:nth-child(5) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="dropdown-toggle nav-link" aria-expanded="false">
Accessible name	dorien_1965@planet.net Dorien de Vries
Element	link

Path	.active.nav-link
Snippet	Alle
Accessible name	Alle
Element	link

Path	.dropdown-pills-navigation > li:nth-child(2) > .nav-link
Snippet	Concept
Accessible name	Concept
Element	link

Path	.dropdown-pills-navigation > li:nth-child(3) > .nav-link
Snippet	Wachten op goedkeuring
Accessible name	Wachten op goedkeuring
Element	link

Path	.dropdown-pills-navigation > li:nth-child(4) > .nav-link
Snippet	Afgerond
Accessible name	Afgerond
Element	link

Path	a[href$="dashboard"]
Snippet	<a class="text-decoration-none" href="/dashboard" data-discover="true">
Accessible name	homeHome
Element	link

Path	a[href$="chats"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	messageChats
Element	link

Path	a[href$="news"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts132Nieuws
Element	link

Path	a[href$="events"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_todayEvenement
Element	link

Path	a[href$="external-info"]
Snippet	<a class="text-decoration-none" href="/publications/external-info" data-discover="true">
Accessible name	infoExterne informatie
Element	link

Path	.btn-md
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">arrow_back</i>Terug</div></button>
Accessible name	arrow_backTerug
Element	button

Path	button[icon="block"]
Snippet	<button type="button" icon="block" class="float-end btn btn-primary">Herstellen</button>
Accessible name	Herstellen
Element	button

Path	#\31 6
Snippet	<input id="16" placeholder="Zoek op naam" aria-label="Zoek op naam" type="search" class="form-control" value="">
Accessible name	Zoek op naam
Element	input type="search"

Path	.tsqd-open-btn
Snippet	<button type="button" aria-label="Open Tanstack query devtools" class="tsqd-open-btn">
Accessible name	Open Tanstack query devtools
Element	button

Path	.chat-notifications > .nav-link.clickable[role="button"]
Snippet	<button class="clickable nav-link" tabindex="0" role="button" aria-expanded="false"><i class="icon material-icons material-icons__filled mt-1">question_answer</i>Chatgesprekken</button>
Accessible name	question_answerChatgesprekken
Role	button

Path	.internal-notifications > .nav-link.clickable[role="button"]
Snippet	<button class="clickable nav-link" tabindex="0" role="button" aria-expanded="false"><i class="icon material-icons material-icons__filled mt-1">notifications</i>Meldingen</button>
Accessible name	notificationsMeldingen
Role	button

Path	span[role="button"]
Snippet	<img alt="dorien_1965@planet.net" src="/api/photos/95ed8aa2-f8f6-48ac-8c9d-9bb947c32116.png">
Accessible name	dorien_1965@planet.net
Role	button

Path	.alert
Snippet	<div class="d-print-none alert alert-warning fade show" open="" role="alert">
Accessible name	(no value)
Role	alert

This assessment report was generated using Accessibility Insights for Web 2.46.0 (axe-core 4.10.2), a tool that helps debug and find accessibility issues earlier on Chrome version 134.0.0.0. Get more information & download this tool at http://aka.ms/AccessibilityInsights

Target page: localhost:3000/form-submissions/13/edit

QuickAssess report

This report shows the results from a combination of assisted and manual tests that cover limited aspects of the WCAG 2.1 AA and 2.2 AA success criteria.

Summary

✓ 100% ○ 0% × 0%

Test details

Automated checks	✓ 60	**Links**	✓
Keyboard	✓	**Native widgets**	✓
Focus	✓	**Images**	✓
Headings	✓ ✓	**Adaptable content**	✓
Repetitive content	✓	**Contrast**	✓

Scan details

http://localhost:3000/form-submissions/13/edit

3/21/2025, 1:42:13 PM UTC

Formulier invullen - Deelnemer

Failed tests × 0

Incomplete tests ○ 0

Passed tests ✓ 70

Automated checks ✓ 60

area-alt: Active <area> elements must have alternative text - WCAG 2.4.4, WCAG 4.1.2 ✓ 0

No matching instances

aria-allowed-attr: Elements must only use supported ARIA attributes - WCAG 4.1.2 ✓ 12

No failing instances

aria-allowed-role: ARIA role should be appropriate for the element - WCAG 1.3.1, WCAG 4.1.2 ✓ 25
Best Practice

No failing instances

aria-command-name: ARIA commands must have an accessible name - WCAG 4.1.2 ✓ 1

No failing instances

aria-conditional-attr: ARIA attributes must be used as specified for the element's role - WCAG 4.1.2 ✓ 12

No failing instances

aria-deprecated-role: Deprecated ARIA roles must not be used - WCAG 4.1.2 ✓ 5

No failing instances

aria-hidden-body: aria-hidden="true" must not be present on the document body - WCAG 1.3.1, WCAG 4.1.2 ✓ 1

No failing instances

aria-hidden-focus: ARIA hidden element must not be focusable or contain focusable elements - WCAG 4.1.2 ✓ 4

No failing instances

aria-input-field-name: ARIA input fields must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-meter-name: ARIA meter nodes must have an accessible name - WCAG 1.1.1 ✓ 0

No matching instances

aria-progressbar-name: ARIA progressbar nodes must have an accessible name - WCAG 1.1.1 ✓ 0

No matching instances

aria-prohibited-attr: Elements must only use permitted ARIA attributes - WCAG 4.1.2 ✓ 12

No failing instances

aria-required-attr: Required ARIA attributes must be provided - WCAG 4.1.2 ✓ 5

No failing instances

aria-required-children: Certain ARIA roles must contain particular children - WCAG 1.3.1 ✓ 0

No matching instances

aria-required-parent: Certain ARIA roles must be contained by particular parents - WCAG 1.3.1 ✓ 0

No matching instances

aria-roles: ARIA roles used must conform to valid values - WCAG 4.1.2 ✓ 5

No failing instances

aria-toggle-field-name: ARIA toggle fields must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-tooltip-name: ARIA tooltip nodes must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-valid-attr-value: ARIA attributes must conform to valid values - WCAG 4.1.2 ✓ 12

No failing instances

aria-valid-attr: ARIA attributes must conform to valid names - WCAG 4.1.2 ✓ 12

No failing instances

audio-caption: <audio> elements must have a captions track - WCAG 1.2.1 ✓ 0

No matching instances

autocomplete-valid: autocomplete attribute must be used correctly - WCAG 1.3.5 ✓ 0 New for WCAG 2.1

No matching instances

avoid-inline-spacing: Inline text spacing must be adjustable with custom stylesheets - WCAG 1.4.12 ✓ 11 New for WCAG 2.1

No failing instances

blink: <blink> elements are deprecated and must not be used - WCAG 2.2.2 ✓ 0

No matching instances

button-name: Buttons must have discernible text - WCAG 4.1.2 ✓ 8

No failing instances

bypass: Page must have means to bypass repeated blocks - WCAG 2.4.1 ✓ 1

No failing instances

color-contrast: Elements must meet minimum color contrast ratio thresholds - WCAG 1.4.3 ✓ 26

No failing instances

definition-list: <dl> elements must only directly contain properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements - WCAG 1.3.1 ✓ 0

No matching instances

dlitem: <dt> and <dd> elements must be contained by a <dl> - WCAG 1.3.1 ✓ 0

No matching instances

document-title: Documents must have <title> element to aid in navigation - WCAG 2.4.2 ✓ 1

No failing instances

duplicate-id-aria: IDs used in ARIA and labels must be unique - WCAG 4.1.2 ✓ 5

No failing instances

frame-focusable-content: Frames with focusable content must not have tabindex=-1 - WCAG 2.1.1 ✓ 0

No matching instances

frame-title: Frames must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

html-has-lang: <html> element must have a lang attribute - WCAG 3.1.1 ✓ 1

No failing instances

html-lang-valid: <html> element must have a valid value for the lang attribute - WCAG 3.1.1 ✓1

No failing instances

html-xml-lang-mismatch: HTML elements with lang and xml:lang must have the same base language - WCAG 3.1.1 ✓0

No matching instances

image-alt: Images must have alternative text - WCAG 1.1.1 ✓2

No failing instances

input-button-name: Input buttons must have discernible text - WCAG 4.1.2 ✓0

No matching instances

input-image-alt: Image buttons must have alternative text - WCAG 1.1.1, WCAG 4.1.2 ✓0

No matching instances

label: Form elements must have labels - WCAG 4.1.2 ✓5

No failing instances

link-in-text-block: Links must be distinguishable without relying on color - WCAG 1.4.1 ✓0

No matching instances

link-name: Links must have discernible text - WCAG 2.4.4, WCAG 4.1.2 ✓11

No failing instances

list: <ul> and <ol> must only directly contain <li>, <script> or <template> elements - WCAG 1.3.1 ✓3

No failing instances

listitem: <li> elements must be contained in a <ul> or <ol> - WCAG 1.3.1 ✓12

No failing instances

marquee: <marquee> elements are deprecated and must not be used - WCAG 2.2.2 ✓0

No matching instances

meta-refresh: Delayed refresh under 20 hours must not be used - WCAG 2.2.1 ✓0

No matching instances

meta-viewport: Zooming and scaling must not be disabled - WCAG 1.4.4 ✓1

No failing instances

nested-interactive: Interactive controls must not be nested - WCAG 4.1.2 ✓12

No failing instances

object-alt: <object> elements must have alternative text - WCAG 1.1.1 ✓0

No matching instances

presentation-role-conflict: Ensure elements marked as presentational are consistently ignored - WCAG 1.3.1 ✓0 Best Practice

No matching instances

role-img-alt: [role="img"] elements must have an alternative text - WCAG 1.1.1 ✓1

No failing instances

scrollable-region-focusable: Scrollable region must have keyboard access - WCAG 2.1.1 ✓1

No failing instances

select-name: Select element must have an accessible name - WCAG 4.1.2 ✓0

No matching instances

server-side-image-map: Server-side image maps must not be used - WCAG 2.1.1 ✓0

No matching instances

summary-name: Summary elements must have discernible text - WCAG 4.1.2 ✓0

No matching instances

svg-img-alt: <svg> elements with an img role must have an alternative text - WCAG 1.1.1 ✓0

No matching instances

td-headers-attr: Table cells that use the headers attribute must only refer to cells in the same table - WCAG 1.3.1 ✓ 0

No matching instances

th-has-data-cells: Table headers in a data table must refer to data cells - WCAG 1.3.1 ✓ 0

No matching instances

valid-lang: lang attribute must have a valid value - WCAG 3.1.2 ✓ 0

No matching instances

video-caption: <video> elements must have captions - WCAG 1.2.2 ✓ 0

No matching instances

Keyboard ✓ 1

Keyboard navigation: Users must be able to *navigate* to all interactive interface components using a keyboard - WCAG 2.1.1 ✓ 0

No matching instances

Focus ✓ 1

Focus order: Components must receive focus in an order that preserves meaning and operability - WCAG 2.4.3 ✓ 0

No matching instances

Headings ✓ 2

No missing headings: Text that *looks like* a heading must be *coded* as a heading - WCAG 1.3.1, WCAG 2.4.6 ✓ 1

Heading level: A heading's *programmatic* level must match the level that's presented *visually* - WCAG 1.3.1 ✓ 6

Path	h2
Snippet	<h2 class="flex-fill align-self-center mb-0">Formulier invullen</h2>
Heading text	Formulier invullen

Path	.pl-0.pb-0.pt-3:nth-child(1) > h5
Snippet	<h5 class="small text-primary list-group-item-heading"><label for="HARTSLAG" class="mb-0 form-label">Hartslag *</label></h5>
Heading text	Hartslag *

Path	.pl-0.pb-0.pt-3:nth-child(2) > h5
Snippet	<h5 class="small text-primary list-group-item-heading"><label for="SATURATIE" class="mb-0 form-label">Saturatie *</label></h5>
Heading text	Saturatie *

Path	.pl-0.pb-0.pt-3:nth-child(3) > h5
Snippet	<h5 class="small text-primary list-group-item-heading"><label for="BOVENDRUK" class="mb-0 form-label">Bovendruk *</label></h5>
Heading text	Bovendruk *

Path	.pl-0.pb-0.pt-3:nth-child(4) > h5
Snippet	<h5 class="small text-primary list-group-item-heading"><label for="ONDERDRUK" class="mb-0 form-label">Onderdruk *</label></h5>
Heading text	Onderdruk *

Path	.pl-0.pb-0.pt-3:nth-child(5) > h5
Snippet	<h5 class="small text-primary list-group-item-heading"><label for="OPMERKING" class="mb-0 form-label">Opmerking</label></h5>
Heading text	Opmerking

Repetitive content ✓ 1

Bypass blocks: A page must provide a keyboard-accessible method to bypass repetitive content - WCAG 2.4.1 ✓ 0

No matching instances

Links ✓ 1

Link purpose: The purpose of a link must be described by its link text alone, or by the link text together with preceding page context - WCAG 2.4.4 ✓ 11

Path	a[href$="#content"]
Snippet	Doorgaan naar hoofdinhoud
Accessible name	Doorgaan naar hoofdinhoud
Accessible description	(no value)
URL	#content

Path	a[href$="#bottom-bar"]
Snippet	Doorgaan naar snelmenu
Accessible name	Doorgaan naar snelmenu
Accessible description	(no value)
URL	#bottom-bar

Path	.navbar-brand
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>Terug naar home
Accessible name	42-DEV BV Terug naar home
Accessible description	(no value)
URL	/

Path	.dropdown.nav-item:nth-child(1) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">color_lens</i>42
Accessible name	color_lens42
Accessible description	(no value)
URL	#

Path	.dropdown.nav-item:nth-child(2) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class=" d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">public</i>Nederlands
Accessible name	publicNederlands
Accessible description	(no value)
URL	#

Path	.dropdown.nav-item:nth-child(5) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="dropdown-toggle nav-link" aria-expanded="false">
Accessible name	dorien_1965@planet.net Dorien de Vries
Accessible description	(no value)
URL	#

Path	a[href$="dashboard"]
Snippet	<a class="text-decoration-none" href="/dashboard" data-discover="true">
Accessible name	homeHome
Accessible description	(no value)
URL	/dashboard

Path	a[href$="chats"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	messageChats
Accessible description	(no value)
URL	/chats

Path	a[href$="news"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts132Nieuws
Accessible description	(no value)
URL	/publications/news

Path	a[href$="events"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_todayEvenement
Accessible description	(no value)
URL	/publications/events

Path	a[href$="external-info"]
Snippet	<a class="text-decoration-none" href="/publications/external-info" data-discover="true">
Accessible name	infoExterne informatie
Accessible description	(no value)
URL	/publications/external-info

Native widgets ✓ 1

Instructions: If a native widget has a visible label or instructions, they must be programmatically determinable - WCAG 1.3.1, WCAG 2.5.3 ✓ 11 New for WCAG 2.1

Path	.me-auto.primary.button > .btn-primary.btn-md.btn
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">arrow_back</i>Terug</div></button>
Element	button
Accessible name	arrow_backTerug
Accessible description	(no value)

Path	button[icon="block"]
Snippet	<button type="button" icon="block" class="float-end btn btn-primary">Herstellen</button>
Element	button
Accessible name	Herstellen
Accessible description	(no value)

Path	#HARTSLAG
Snippet	<input name="HARTSLAG" id="HARTSLAG" aria-label="Hartslag" type="text" class="is-invalid form-control" value="" aria-invalid="true">
Element	input type="text"
Accessible name	Hartslag
Accessible description	(no value)

Path	#SATURATIE
Snippet	<input name="SATURATIE" id="SATURATIE" aria-label="Saturatie" type="text" class="is-invalid form-control" value="" aria-invalid="true">
Element	input type="text"
Accessible name	Saturatie
Accessible description	(no value)

Path	#BOVENDRUK
Snippet	<input name="BOVENDRUK" id="BOVENDRUK" aria-label="Bovendruk" type="text" class="is-invalid form-control" value="" aria-invalid="true">
Element	input type="text"
Accessible name	Bovendruk
Accessible description	(no value)

Path	#ONDERDRUK
Snippet	<input name="ONDERDRUK" id="ONDERDRUK" aria-label="Onderdruk" type="text" class="is-invalid form-control" value="" aria-invalid="true">
Element	input type="text"
Accessible name	Onderdruk
Accessible description	(no value)

Path	#OPMERKING
Snippet	<input name="OPMERKING" id="OPMERKING" aria-label="Opmerking" type="text" class="form-control" value="">
Element	input type="text"
Accessible name	Opmerking

Accessible description	(no value)

Path	.btn-secondary
Snippet	<button type="button" class="btn btn-secondary btn-md"><div class="d-flex justify-content-center align-items-center">Annuleren</div></button>
Element	button
Accessible name	Annuleren
Accessible description	(no value)

Path	.ms-1.primary.button:nth-child(2) > .btn-primary.btn-md.btn
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">save</i>Opslaan als concept</div></button>
Element	button
Accessible name	saveOpslaan als concept
Accessible description	(no value)

Path	button[type="submit"]
Snippet	<button type="submit" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">save_alt</i>Indienen</div></button>
Element	button
Accessible name	save_altIndienen
Accessible description	(no value)

Path	.tsqd-open-btn
Snippet	<button type="button" aria-label="Open Tanstack query devtools" class="tsqd-open-btn">
Element	button
Accessible name	Open Tanstack query devtools
Accessible description	(no value)

Images ✓ 1

Image function: Every image must be coded as either meaningful or decorative - WCAG 1.1.1 ✓ 8

Path	.logo
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>
Image type	Role="img"
Coded as	Meaningful
ARIA role	(no value)
Accessible name	42-DEV BV

Path	img[alt="dorien_1965@planet.net"]
Snippet	<img alt="dorien_1965@planet.net" src="/api/photos/95ed8aa2-f8f6-48ac-8c9d-9bb947c32116.png">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	dorien_1965@planet.net

Path	.display-block
Snippet	<img src="/api/photos/95ed8aa2-f8f6-48ac-8c9d-9bb947c32116.png" class="display-block m-auto rounded-circle" alt="Dorien de Vries" style="width: 21.6px; height: 21.6px; min-height: 21.6px; min-width: 21.6px;">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	Dorien de Vries

Path	#HARTSLAG
Snippet	<input name="HARTSLAG" id="HARTSLAG" aria-label="Hartslag" type="text" class="is-invalid form-control" value="" aria-invalid="true">
Image type	CSS background-image
Coded as	Decorative
ARIA role	(no value)
Accessible name	Hartslag

Path	#SATURATIE
Snippet	<input name="SATURATIE" id="SATURATIE" aria-label="Saturatie" type="text" class="is-invalid form-control" value="" aria-invalid="true">
Image type	CSS background-image
Coded as	Decorative
ARIA role	(no value)
Accessible name	Saturatie

Path	#BOVENDRUK
Snippet	<input name="BOVENDRUK" id="BOVENDRUK" aria-label="Bovendruk" type="text" class="is-invalid form-control" value="" aria-invalid="true">
Image type	CSS background-image
Coded as	Decorative
ARIA role	(no value)
Accessible name	Bovendruk

Path	#ONDERDRUK
Snippet	<input name="ONDERDRUK" id="ONDERDRUK" aria-label="Onderdruk" type="text" class="is-invalid form-control" value="" aria-invalid="true">
Image type	CSS background-image
Coded as	Decorative
ARIA role	(no value)
Accessible name	Onderdruk

Path	.tsqd-open-btn > svg
Snippet	<svg version="1.0" viewBox="0 0 633 633">
Coded as	Decorative
ARIA role	(no value)
Accessible name	(no value)

Adaptable content ✓ 1

Reflow: Content must be visible without having to scroll in two dimensions - WCAG 1.4.10 ✓ 0 New for WCAG 2.1

No matching instances

Contrast ✓ 1

UI components: Visual information used to identify active user interface components and their states must have sufficient contrast - WCAG 1.4.11 ✓ 26 New for WCAG 2.1

Path	a[href$="#content"]
Snippet	Doorgaan naar hoofdinhoud
Accessible name	Doorgaan naar hoofdinhoud
Element	link

Path	a[href$="#bottom-bar"]
Snippet	Doorgaan naar snelmenu
Accessible name	Doorgaan naar snelmenu
Element	link

Path	.navbar-brand
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>Terug naar home
Accessible name	42-DEV BV Terug naar home
Element	link

Path	.dropdown.nav-item:nth-child(1) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">color_lens</i>42
Accessible name	color_lens42
Element	link

Path	.dropdown.nav-item:nth-child(2) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class=" d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">public</i>Nederlands
Accessible name	publicNederlands
Element	link

Path	.dropdown.nav-item:nth-child(5) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="dropdown-toggle nav-link" aria-expanded="false">
Accessible name	dorien_1965@planet.net Dorien de Vries
Element	link

Path	a[href$="dashboard"]
Snippet	<a class="text-decoration-none" href="/dashboard" data-discover="true">
Accessible name	homeHome
Element	link

Path	a[href$="chats"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	messageChats
Element	link

Path	a[href$="news"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts132Nieuws
Element	link

Path	a[href$="events"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_todayEvenement
Element	link

Path	a[href$="external-info"]
Snippet	<a class="text-decoration-none" href="/publications/external-info" data-discover="true">
Accessible name	infoExterne informatie
Element	link

Path	.me-auto.primary.button > .btn-primary.btn-md.btn
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">arrow_back</i>Terug</div></button>
Accessible name	arrow_backTerug
Element	button

Path	button[icon="block"]
Snippet	<button type="button" icon="block" class="float-end btn btn-primary">Herstellen</button>
Accessible name	Herstellen
Element	button

Path	#HARTSLAG
Snippet	<input name="HARTSLAG" id="HARTSLAG" aria-label="Hartslag" type="text" class="is-invalid form-control" value="" aria-invalid="true">
Accessible name	Hartslag
Element	input type="text"

Path	#SATURATIE
Snippet	<input name="SATURATIE" id="SATURATIE" aria-label="Saturatie" type="text" class="is-invalid form-control" value="" aria-invalid="true">
Accessible name	Saturatie
Element	input type="text"

Path	#BOVENDRUK
Snippet	<input name="BOVENDRUK" id="BOVENDRUK" aria-label="Bovendruk" type="text" class="is-invalid form-control" value="" aria-invalid="true">
Accessible name	Bovendruk
Element	input type="text"

Path	#ONDERDRUK
Snippet	<input name="ONDERDRUK" id="ONDERDRUK" aria-label="Onderdruk" type="text" class="is-invalid form-control" value="" aria-invalid="true">
Accessible name	Onderdruk
Element	input type="text"

Path	#OPMERKING
Snippet	<input name="OPMERKING" id="OPMERKING" aria-label="Opmerking" type="text" class="form-control" value="">

Accessible name	Opmerking
Element	input type="text"

Path	.btn-secondary
Snippet	<button type="button" class="btn btn-secondary btn-md"><div class="d-flex justify-content-center align-items-center">Annuleren</div></button>
Accessible name	Annuleren
Element	button

Path	.ms-1.primary.button:nth-child(2) > .btn-primary.btn-md.btn
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">save</i>Opslaan als concept</div></button>
Accessible name	saveOpslaan als concept
Element	button

Path	button[type="submit"]
Snippet	<button type="submit" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">save_alt</i>Indienen</div></button>
Accessible name	save_altIndienen
Element	button

Path	.tsqd-open-btn
Snippet	<button type="button" aria-label="Open Tanstack query devtools" class="tsqd-open-btn">
Accessible name	Open Tanstack query devtools
Element	button

Path	.chat-notifications > .nav-link.clickable[role="button"]
Snippet	<button class="clickable nav-link" tabindex="0" role="button" aria-expanded="false"><i class="icon material-icons material-icons__filled mt-1">question_answer</i>Chatgesprekken</button>
Accessible name	question_answerChatgesprekken
Role	button

Path	.internal-notifications > .nav-link.clickable[role="button"]
Snippet	<button class="clickable nav-link" tabindex="0" role="button" aria-expanded="false"><i class="icon material-icons material-icons__filled mt-1">notifications</i>Meldingen</button>
Accessible name	notificationsMeldingen
Role	button

Path	span[role="button"]
Snippet	<img alt="dorien_1965@planet.net" src="/api/photos/95ed8aa2-f8f6-48ac-8c9d-9bb947c32116.png">
Accessible name	dorien_1965@planet.net
Role	button

Path	.alert
Snippet	<div class="d-print-none alert alert-warning fade show" open="" role="alert">
Accessible name	(no value)
Role	alert

This assessment report was generated using Accessibility Insights for Web 2.46.0 (axe-core 4.10.2), a tool that helps debug and find accessibility issues earlier on Chrome version 134.0.0.0. Get more information & download this tool at http://aka.ms/AccessibilityInsights

QuickAssess report

This report shows the results from a combination of assisted and manual tests that cover limited aspects of the WCAG 2.1 AA and 2.2 AA success criteria.

Summary

✓ 100% ○ 0% × 0%

Test details

Automated checks	✓ 60	**Links**	✓
Keyboard	✓	**Native widgets**	✓
Focus	✓	**Images**	✓
Headings	✓ ✓	**Adaptable content**	✓
Repetitive content	✓	**Contrast**	✓

Scan details

http://localhost:3000/dashboard

3/21/2025, 8:08:35 AM UTC

Feed - Deelnemer

Failed tests × 0

Incomplete tests ● 0

Passed tests ✓ 70

Automated checks ✓ 60

area-alt: Active <area> elements must have alternative text - WCAG 2.4.4, WCAG 4.1.2 ✓ 0

No matching instances

aria-allowed-attr: Elements must only use supported ARIA attributes - WCAG 4.1.2 ✓ 7

No failing instances

aria-allowed-role: ARIA role should be appropriate for the element - WCAG 1.3.1, WCAG 4.1.2 ✓ 25
Best Practice

No failing instances

aria-command-name: ARIA commands must have an accessible name - WCAG 4.1.2 ✓ 1

No failing instances

aria-conditional-attr: ARIA attributes must be used as specified for the element's role - WCAG 4.1.2 ✓ 7

No failing instances

aria-deprecated-role: Deprecated ARIA roles must not be used - WCAG 4.1.2 ✓ 5

No failing instances

aria-hidden-body: aria-hidden="true" must not be present on the document body - WCAG 1.3.1, WCAG 4.1.2 ✓ 1

No failing instances

aria-hidden-focus: ARIA hidden element must not be focusable or contain focusable elements - WCAG 4.1.2 ✓ 4

No failing instances

aria-input-field-name: ARIA input fields must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-meter-name: ARIA meter nodes must have an accessible name - WCAG 1.1.1 ✓ 0

No matching instances

aria-progressbar-name: ARIA progressbar nodes must have an accessible name - WCAG 1.1.1 ✓ 0

No matching instances

aria-prohibited-attr: Elements must only use permitted ARIA attributes - WCAG 4.1.2 ✓ 7

No failing instances

aria-required-attr: Required ARIA attributes must be provided - WCAG 4.1.2 ✓ 5

No failing instances

aria-required-children: Certain ARIA roles must contain particular children - WCAG 1.3.1 ✓ 0

No matching instances

aria-required-parent: Certain ARIA roles must be contained by particular parents - WCAG 1.3.1 ✓ 0

No matching instances

aria-roles: ARIA roles used must conform to valid values - WCAG 4.1.2 ✓ 5

No failing instances

aria-toggle-field-name: ARIA toggle fields must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-tooltip-name: ARIA tooltip nodes must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-valid-attr-value: ARIA attributes must conform to valid values - WCAG 4.1.2 ✓ 7

No failing instances

aria-valid-attr: ARIA attributes must conform to valid names - WCAG 4.1.2 ✓ 7

No failing instances

audio-caption: <audio> elements must have a captions track - WCAG 1.2.1 ✓ 0

No matching instances

autocomplete-valid: autocomplete attribute must be used correctly - WCAG 1.3.5 ✓ 0 New for WCAG 2.1

No matching instances

avoid-inline-spacing: Inline text spacing must be adjustable with custom stylesheets - WCAG 1.4.12 ✓ 32 New for WCAG 2.1

No failing instances

blink: <blink> elements are deprecated and must not be used - WCAG 2.2.2 ✓ 0

No matching instances

button-name: Buttons must have discernible text - WCAG 4.1.2 ✓ 4

No failing instances

bypass: Page must have means to bypass repeated blocks - WCAG 2.4.1 ✓ 1

No failing instances

color-contrast: Elements must meet minimum color contrast ratio thresholds - WCAG 1.4.3 ✓ 26

No failing instances

definition-list: <dl> elements must only directly contain properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements - WCAG 1.3.1 ✓ 0

No matching instances

dlitem: <dt> and <dd> elements must be contained by a <dl> - WCAG 1.3.1 ✓ 0

No matching instances

document-title: Documents must have <title> element to aid in navigation - WCAG 2.4.2 ✓ 1

No failing instances

duplicate-id-aria: IDs used in ARIA and labels must be unique - WCAG 4.1.2 ✓ 0

No matching instances

frame-focusable-content: Frames with focusable content must not have tabindex=-1 - WCAG 2.1.1 ✓ 0

No matching instances

frame-title: Frames must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

html-has-lang: <html> element must have a lang attribute - WCAG 3.1.1 ✓ 1

No failing instances

html-lang-valid: <html> element must have a valid value for the lang attribute - WCAG 3.1.1 ✓1

No failing instances

html-xml-lang-mismatch: HTML elements with lang and xml:lang must have the same base language - WCAG 3.1.1 ✓0

No matching instances

image-alt: Images must have alternative text - WCAG 1.1.1 ✓1

No failing instances

input-button-name: Input buttons must have discernible text - WCAG 4.1.2 ✓0

No matching instances

input-image-alt: Image buttons must have alternative text - WCAG 1.1.1, WCAG 4.1.2 ✓0

No matching instances

label: Form elements must have labels - WCAG 4.1.2 ✓0

No matching instances

link-in-text-block: Links must be distinguishable without relying on color - WCAG 1.4.1 ✓0

No matching instances

link-name: Links must have discernible text - WCAG 2.4.4, WCAG 4.1.2 ✓23

No failing instances

list: <ul> and <ol> must only directly contain <li>, <script> or <template> elements - WCAG 1.3.1 ✓1

No failing instances

listitem: <li> elements must be contained in a <ul> or <ol> - WCAG 1.3.1 ✓5

No failing instances

marquee: <marquee> elements are deprecated and must not be used - WCAG 2.2.2 ✓0

No matching instances

meta-refresh: Delayed refresh under 20 hours must not be used - WCAG 2.2.1 ✓0

No matching instances

meta-viewport: Zooming and scaling must not be disabled - WCAG 1.4.4 ✓1

No failing instances

nested-interactive: Interactive controls must not be nested - WCAG 4.1.2 ✓7

No failing instances

object-alt: <object> elements must have alternative text - WCAG 1.1.1 ✓0

No matching instances

presentation-role-conflict: Ensure elements marked as presentational are consistently ignored - WCAG 1.3.1 ✓0 Best Practice

No matching instances

role-img-alt: [role="img"] elements must have an alternative text - WCAG 1.1.1 ✓1

No failing instances

scrollable-region-focusable: Scrollable region must have keyboard access - WCAG 2.1.1 ✓1

No failing instances

select-name: Select element must have an accessible name - WCAG 4.1.2 ✓0

No matching instances

server-side-image-map: Server-side image maps must not be used - WCAG 2.1.1 ✓0

No matching instances

summary-name: Summary elements must have discernible text - WCAG 4.1.2 ✓0

No matching instances

svg-img-alt: <svg> elements with an img role must have an alternative text - WCAG 1.1.1 ✓0

No matching instances

td-headers-attr: Table cells that use the headers attribute must only refer to cells in the same table - WCAG 1.3.1 ✓0

No matching instances

th-has-data-cells: Table headers in a data table must refer to data cells - WCAG 1.3.1 ✓0

No matching instances

valid-lang: lang attribute must have a valid value - WCAG 3.1.2 ✓0

No matching instances

video-caption: <video> elements must have captions - WCAG 1.2.2 ✓0

No matching instances

Keyboard ✓1

Keyboard navigation: Users must be able to *navigate* to all interactive interface components using a keyboard - WCAG 2.1.1 ✓0

No matching instances

Focus ✓1

Focus order: Components must receive focus in an order that preserves meaning and operability - WCAG 2.4.3 ✓0

No matching instances

Headings ✓2

No missing headings: Text that *looks like* a heading must be *coded* as a heading - WCAG 1.3.1, WCAG 2.4.6 ✓1

Heading level: A heading's *programmatic* level must match the level that's presented *visually* - WCAG 1.3.1 ✓13

Path	.text-decoration-none[href$="chats"][data-discover="true"] > .clickable-card.my-1.mx-1 > .mt-5
Snippet	<h3 class="text-center mt-5">Chats</h3>
Heading text	Chats

Path	.text-decoration-none[href$="news"][data-discover="true"] > .clickable-card.my-1.mx-1 > .mt-5
Snippet	<h3 class="text-center mt-5">Nieuws</h3>
Heading text	Nieuws

Path	.text-decoration-none[href$="events"][data-discover="true"] > .clickable-card.my-1.mx-1 > .mt-5
Snippet	<h3 class="text-center mt-5">Evenement</h3>
Heading text	Evenement

Path	.text-decoration-none[href$="external-info"][data-discover="true"] > .clickable-card.my-1.mx-1 > .mt-5
Snippet	<h3 class="text-center mt-5">Externe informatie</h3>
Heading text	Externe informatie

Path	a[href$="tips"] > .clickable-card.my-1.mx-1 > .mt-5
Snippet	<h3 class="text-center mt-5">Tips</h3>
Heading text	Tips

Path	a[href$="participants"] > .clickable-card.my-1.mx-1 > .mt-5
Snippet	<h3 class="text-center mt-5">Vrienden</h3>
Heading text	Vrienden

Path	a[href$="vacancies"] > .clickable-card.my-1.mx-1 > .mt-5
Snippet	<h3 class="text-center mt-5">Vacature</h3>
Heading text	Vacature

Path	a[href$="exercises"] > .clickable-card.my-1.mx-1 > .mt-5
Snippet	<h3 class="text-center mt-5">Oefening</h3>
Heading text	Oefening

Path	a[href$="calendar-appointments"] > .clickable-card.my-1.mx-1 > .mt-5
Snippet	<h3 class="text-center mt-5">Agenda</h3>
Heading text	Agenda

Path	.m-0 > .clickable-card.my-1.mx-1 > .mt-5
Snippet	<h3 class="text-center mt-5">Gmail</h3>
Heading text	Gmail

Path	.mt-3:nth-child(1)
Snippet	<h3 class="text-center mt-3">Bericht van de dag</h3>
Heading text	Bericht van de dag

Path	a[href$="feed"] > .clickable-card.my-1.mx-1 > .mt-5
Snippet	<h3 class="text-center mt-5">Feed</h3>
Heading text	Feed

Path	a[href$="my-supervisors"] > .clickable-card.my-1.mx-1 > .mt-5
Snippet	<h3 class="text-center mt-5">Mijn coaches</h3>
Heading text	Mijn coaches

Repetitive content ✓1

Bypass blocks: A page must provide a keyboard-accessible method to bypass repetitive content - WCAG 2.4.1 ✓0

No matching instances

Links ✓ 1

Link purpose: The purpose of a link must be described by its link text alone, or by the link text together with preceding page context - WCAG 2.4.4 ✓ 23

Path	a[href$="#content"]
Snippet	Doorgaan naar hoofdinhoud
Accessible name	Doorgaan naar hoofdinhoud
Accessible description	(no value)
URL	#content

Path	a[href$="#bottom-bar"]
Snippet	Doorgaan naar snelmenu
Accessible name	Doorgaan naar snelmenu
Accessible description	(no value)
URL	#bottom-bar

Path	.navbar-brand
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>Terug naar home
Accessible name	42-DEV BV Terug naar home
Accessible description	(no value)
URL	/

Path	.dropdown:nth-child(1) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">color_lens</i>42
Accessible name	color_lens42
Accessible description	(no value)
URL	#

Path	.dropdown:nth-child(2) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class=" d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">public</i>Nederlands
Accessible name	publicNederlands
Accessible description	(no value)
URL	#

Path	.dropdown:nth-child(5) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="dropdown-toggle nav-link" aria-expanded="false">
Accessible name	dorien_1965@planet.net Dorien de Vries
Accessible description	(no value)
URL	#

Path	.flex-row > .text-decoration-none[href$="chats"][data-discover="true"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	message Chats
Accessible description	(no value)
URL	/chats

Path	.flex-row > .text-decoration-none[href$="news"][data-discover="true"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts99+ Nieuws
Accessible description	(no value)
URL	/publications/news

Path	.flex-row > .text-decoration-none[href$="events"][data-discover="true"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_today Evenement
Accessible description	(no value)
URL	/publications/events

Path	.flex-row > .text-decoration-none[href$="external-info"][data-discover="true"]
Snippet	<a class="text-decoration-none" href="/publications/external-info" data-discover="true">
Accessible name	info Externe informatie
Accessible description	(no value)
URL	/publications/external-info

Path	a[href$="tips"]
Snippet	<a class="text-decoration-none" href="/publications/tips" data-discover="true">
Accessible name	help_outline Tips
Accessible description	(no value)
URL	/publications/tips

Path	a[href$="participants"]
Snippet	<a class="text-decoration-none" href="/participants" data-discover="true">
Accessible name	people_outline Vrienden
Accessible description	(no value)
URL	/participants

Path	a[href$="vacancies"]
Snippet	<a class="text-decoration-none" href="/publications/vacancies" data-discover="true">
Accessible name	work_outline Vacature
Accessible description	(no value)
URL	/publications/vacancies

Path	a[href$="exercises"]
Snippet	<a class="text-decoration-none" href="/publications/exercises" data-discover="true">
Accessible name	assignment Oefening
Accessible description	(no value)
URL	/publications/exercises

Path	a[href$="calendar-appointments"]
Snippet	<a class="text-decoration-none" href="/calendar-appointments" data-discover="true">
Accessible name	schedule Agenda
Accessible description	(no value)
URL	/calendar-appointments

Path	.m-0
Snippet	<a href="https://mail.google.com/" target="_blank" rel="noopener noreferrer" class="m-0 p-0 text-decoration-none">
Accessible name	mail Gmail
Accessible description	(no value)
URL	https://mail.google.com/

Path	a[href$="feed"]
Snippet	<a class="text-decoration-none" href="/feed" data-discover="true">
Accessible name	view_headline Feed
Accessible description	(no value)
URL	/feed

Path	a[href$="my-supervisors"]
Snippet	<a class="text-decoration-none" href="/my-supervisors" data-discover="true">
Accessible name	supervisor_account Mijn coaches
Accessible description	(no value)
URL	/my-supervisors

Path	a[href$="dashboard"]
Snippet	<a class="text-decoration-none" href="/dashboard" data-discover="true">
Accessible name	homeHome
Accessible description	(no value)
URL	/dashboard

Path	.justify-content-around > .text-decoration-none[href$="chats"][data-discover="true"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	messageChats
Accessible description	(no value)
URL	/chats

Path	.justify-content-around > .text-decoration-none[href$="news"][data-discover="true"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts132Nieuws
Accessible description	(no value)
URL	/publications/news

Path	.justify-content-around > .text-decoration-none[href$="events"][data-discover="true"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_todayEvenement
Accessible description	(no value)
URL	/publications/events

Path	.justify-content-around > .text-decoration-none[href$="external-info"][data-discover="true"]
Snippet	<a class="text-decoration-none" href="/publications/external-info" data-discover="true">
Accessible name	infoExterne informatie
Accessible description	(no value)
URL	/publications/external-info

Native widgets ✓ 1

Instructions: If a native widget has a visible label or instructions, they must be programmatically determinable - WCAG 1.3.1, WCAG 2.5.3 ✓ 2 New for WCAG 2.1

Path	.btn-primary
Snippet	<button type="button" icon="block" class="float-end btn btn-primary">Herstellen</button>
Element	button
Accessible name	Herstellen
Accessible description	(no value)

Path	.tsqd-open-btn
Snippet	<button type="button" aria-label="Open Tanstack query devtools" class="tsqd-open-btn">
Element	button
Accessible name	Open Tanstack query devtools
Accessible description	(no value)

Images ✓ 1

Image function: Every image must be coded as either meaningful or decorative - WCAG 1.1.1 ✓ 3

Path	.logo
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>
Image type	Role="img"
Coded as	Meaningful
ARIA role	(no value)
Accessible name	42-DEV BV

Path	img
Snippet	<img alt="dorien_1965@planet.net" src="/api/photos/95ed8aa2-f8f6-48ac-8c9d-9bb947c32116.png">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	dorien_1965@planet.net

Path	.tsqd-open-btn > svg
Snippet	<svg version="1.0" viewBox="0 0 633 633">
Coded as	Decorative
ARIA role	(no value)
Accessible name	(no value)

Adaptable content ✓ 1

Reflow: Content must be visible without having to scroll in two dimensions - WCAG 1.4.10 ✓ 0 New for WCAG 2.1

No matching instances

Contrast ✓ 1

UI components: Visual information used to identify active user interface components and their states must have sufficient contrast - WCAG 1.4.11 ✓ 29 New for WCAG 2.1

Path	a[href$="#content"]
Snippet	Doorgaan naar hoofdinhoud
Accessible name	Doorgaan naar hoofdinhoud
Element	link

Path	a[href$="#bottom-bar"]
Snippet	Doorgaan naar snelmenu
Accessible name	Doorgaan naar snelmenu
Element	link

Path	.navbar-brand
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>Terug naar home
Accessible name	42-DEV BV Terug naar home
Element	link

Path	.dropdown:nth-child(1) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">color_lens</i>42
Accessible name	color_lens42
Element	link

Path	.dropdown:nth-child(2) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class=" d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">public</i>Nederlands
Accessible name	publicNederlands
Element	link

Path	.dropdown:nth-child(5) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="dropdown-toggle nav-link" aria-expanded="false">
Accessible name	dorien_1965@planet.net Dorien de Vries
Element	link

Path	.flex-row > .text-decoration-none[href$="chats"][data-discover="true"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	message Chats
Element	link

Path	.flex-row > .text-decoration-none[href$="news"][data-discover="true"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts99+ Nieuws
Element	link

Path	.flex-row > .text-decoration-none[href$="events"][data-discover="true"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_today Evenement
Element	link

Path	.flex-row > .text-decoration-none[href$="external-info"][data-discover="true"]
Snippet	<a class="text-decoration-none" href="/publications/external-info" data-discover="true">
Accessible name	info Externe informatie
Element	link

Path	a[href$="tips"]
Snippet	<a class="text-decoration-none" href="/publications/tips" data-discover="true">
Accessible name	help_outline Tips
Element	link

Path	a[href$="participants"]
Snippet	<a class="text-decoration-none" href="/participants" data-discover="true">
Accessible name	people_outline Vrienden
Element	link

Path	a[href$="vacancies"]
Snippet	<a class="text-decoration-none" href="/publications/vacancies" data-discover="true">
Accessible name	work_outline Vacature
Element	link

Path	a[href$="exercises"]
Snippet	<a class="text-decoration-none" href="/publications/exercises" data-discover="true">
Accessible name	assignment Oefening
Element	link

Path	a[href$="calendar-appointments"]
Snippet	<a class="text-decoration-none" href="/calendar-appointments" data-discover="true">
Accessible name	schedule Agenda
Element	link

Path	.m-0
Snippet	<a href="https://mail.google.com/" target="_blank" rel="noopener noreferrer" class="m-0 p-0 text-decoration-none">
Accessible name	mail Gmail
Element	link

Path	a[href$="feed"]
Snippet	<a class="text-decoration-none" href="/feed" data-discover="true">
Accessible name	view_headline Feed
Element	link

Path	a[href$="my-supervisors"]
Snippet	<a class="text-decoration-none" href="/my-supervisors" data-discover="true">
Accessible name	supervisor_account Mijn coaches
Element	link

Path	a[href$="dashboard"]

Snippet	<a class="text-decoration-none" href="/dashboard" data-discover="true">
Accessible name	homeHome
Element	link

Path	.justify-content-around > .text-decoration-none[href$="chats"][data-discover="true"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	messageChats
Element	link

Path	.justify-content-around > .text-decoration-none[href$="news"][data-discover="true"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts132Nieuws
Element	link

Path	.justify-content-around > .text-decoration-none[href$="events"][data-discover="true"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_todayEvenement
Element	link

Path	.justify-content-around > .text-decoration-none[href$="external-info"][data-discover="true"]
Snippet	<a class="text-decoration-none" href="/publications/external-info" data-discover="true">
Accessible name	infoExterne informatie
Element	link

Path	.btn-primary
Snippet	<button type="button" icon="block" class="float-end btn btn-primary">Herstellen</button>
Accessible name	Herstellen
Element	button

Path	.tsqd-open-btn
Snippet	<button type="button" aria-label="Open Tanstack query devtools" class="tsqd-open-btn">
Accessible name	Open Tanstack query devtools
Element	button

Path	.chat-notifications > .nav-link.clickable[role="button"]
Snippet	<button class="clickable nav-link" tabindex="0" role="button" aria-expanded="false"><i class="icon material-icons material-icons__filled mt-1">question_answer</i>Chatgesprekken</button>
Accessible name	question_answerChatgesprekken
Role	button

Path	.internal-notifications > .nav-link.clickable[role="button"]
Snippet	<button class="clickable nav-link" tabindex="0" role="button" aria-expanded="false"><i class="icon material-icons material-icons__filled mt-1">notifications</i>Meldingen</button>
Accessible name	notificationsMeldingen
Role	button

Path	span[role="button"]
Snippet	<img alt="dorien_1965@planet.net" src="/api/photos/95ed8aa2-f8f6-48ac-8c9d-9bb947c32116.png">
Accessible name	dorien_1965@planet.net
Role	button

Path	.alert
Snippet	<div class="d-print-none alert alert-warning fade show" open="" role="alert">
Accessible name	(no value)
Role	alert

This assessment report was generated using Accessibility Insights for Web 2.46.0 (axe-core 4.10.2), a tool that helps debug and find accessibility issues earlier on Chrome version 134.0.0.0. Get more information & download this tool at http://aka.ms/AccessibilityInsights

Accessibility Insights for Web

Target page: localhost:3000/publications/events

QuickAssess report

This report shows the results from a combination of assisted and manual tests that cover limited aspects of the WCAG 2.1 AA and 2.2 AA success criteria.

Summary

✓ 100% ○ 0% × 0%

Test details

Automated checks	✓ 60	**Links**	✓
Keyboard	✓	**Native widgets**	✓
Focus	✓	**Images**	✓
Headings	✓ ✓	**Adaptable content**	✓
Repetitive content	✓	**Contrast**	✓

Scan details

http://localhost:3000/publications/events

3/21/2025, 10:32:25 AM UTC

Evenementen - Deelnemer

Failed tests × 0

Incomplete tests ● 0

Passed tests ✓ 70

Automated checks ✓ 60

area-alt: Active <area> elements must have alternative text - WCAG 2.4.4, WCAG 4.1.2 ✓ 0

No matching instances

aria-allowed-attr: Elements must only use supported ARIA attributes - WCAG 4.1.2 ✓ 12

No failing instances

aria-allowed-role: ARIA role should be appropriate for the element - WCAG 1.3.1, WCAG 4.1.2 ✓ 34
Best Practice

No failing instances

aria-command-name: ARIA commands must have an accessible name - WCAG 4.1.2 ✓ 8

No failing instances

aria-conditional-attr: ARIA attributes must be used as specified for the element's role - WCAG 4.1.2 ✓ 12

No failing instances

aria-deprecated-role: Deprecated ARIA roles must not be used - WCAG 4.1.2 ✓ 14

No failing instances

aria-hidden-body: aria-hidden="true" must not be present on the document body - WCAG 1.3.1, WCAG 4.1.2 ✓ 1

No failing instances

aria-hidden-focus: ARIA hidden element must not be focusable or contain focusable elements - WCAG 4.1.2 ✓ 5

No failing instances

aria-input-field-name: ARIA input fields must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-meter-name: ARIA meter nodes must have an accessible name - WCAG 1.1.1 ✓ 0

No matching instances

aria-progressbar-name: ARIA progressbar nodes must have an accessible name - WCAG 1.1.1 ✓ 0

No matching instances

aria-prohibited-attr: Elements must only use permitted ARIA attributes - WCAG 4.1.2 ✓ 12

No failing instances

aria-required-attr: Required ARIA attributes must be provided - WCAG 4.1.2 ✓ 14

No failing instances

aria-required-children: Certain ARIA roles must contain particular children - WCAG 1.3.1 ✓ 0

No matching instances

aria-required-parent: Certain ARIA roles must be contained by particular parents - WCAG 1.3.1 ✓ 0

No matching instances

aria-roles: ARIA roles used must conform to valid values - WCAG 4.1.2 ✓ 14

No failing instances

aria-toggle-field-name: ARIA toggle fields must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-tooltip-name: ARIA tooltip nodes must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-valid-attr-value: ARIA attributes must conform to valid values - WCAG 4.1.2 ✓ 12

No failing instances

aria-valid-attr: ARIA attributes must conform to valid names - WCAG 4.1.2 ✓ 12

No failing instances

audio-caption: <audio> elements must have a captions track - WCAG 1.2.1 ✓ 0

No matching instances

autocomplete-valid: autocomplete attribute must be used correctly - WCAG 1.3.5 ✓ 3 New for WCAG 2.1

No failing instances

avoid-inline-spacing: Inline text spacing must be adjustable with custom stylesheets - WCAG 1.4.12 ✓ 38 New for WCAG 2.1

No failing instances

blink: <blink> elements are deprecated and must not be used - WCAG 2.2.2 ✓ 0

No matching instances

button-name: Buttons must have discernible text - WCAG 4.1.2 ✓ 13

No failing instances

bypass: Page must have means to bypass repeated blocks - WCAG 2.4.1 ✓ 1

No failing instances

color-contrast: Elements must meet minimum color contrast ratio thresholds - WCAG 1.4.3 ✓ 55

No failing instances

definition-list: <dl> elements must only directly contain properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements - WCAG 1.3.1 ✓ 0

No matching instances

dlitem: <dt> and <dd> elements must be contained by a <dl> - WCAG 1.3.1 ✓ 0

No matching instances

document-title: Documents must have <title> element to aid in navigation - WCAG 2.4.2 ✓ 1

No failing instances

duplicate-id-aria: IDs used in ARIA and labels must be unique - WCAG 4.1.2 ✓ 5

No failing instances

frame-focusable-content: Frames with focusable content must not have tabindex=-1 - WCAG 2.1.1 ✓ 0

No matching instances

frame-title: Frames must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

html-has-lang: <html> element must have a lang attribute - WCAG 3.1.1 ✓ 1

No failing instances

html-lang-valid: <html> element must have a valid value for the lang attribute - WCAG 3.1.1 ✓ 1

No failing instances

html-xml-lang-mismatch: HTML elements with lang and xml:lang must have the same base language - WCAG 3.1.1 ✓ 0

No matching instances

image-alt: Images must have alternative text - WCAG 1.1.1 ✓ 2

No failing instances

input-button-name: Input buttons must have discernible text - WCAG 4.1.2 ✓ 0

No matching instances

input-image-alt: Image buttons must have alternative text - WCAG 1.1.1, WCAG 4.1.2 ✓ 0

No matching instances

label: Form elements must have labels - WCAG 4.1.2 ✓ 6

No failing instances

link-in-text-block: Links must be distinguishable without relying on color - WCAG 1.4.1 ✓ 0

No matching instances

link-name: Links must have discernible text - WCAG 2.4.4, WCAG 4.1.2 ✓ 15

No failing instances

list: <ul> and <ol> must only directly contain <li>, <script> or <template> elements - WCAG 1.3.1 ✓ 1

No failing instances

listitem: <li> elements must be contained in a <ul> or <ol> - WCAG 1.3.1 ✓ 5

No failing instances

marquee: <marquee> elements are deprecated and must not be used - WCAG 2.2.2 ✓ 0

No matching instances

meta-refresh: Delayed refresh under 20 hours must not be used - WCAG 2.2.1 ✓ 0

No matching instances

meta-viewport: Zooming and scaling must not be disabled - WCAG 1.4.4 ✓ 1

No failing instances

nested-interactive: Interactive controls must not be nested - WCAG 4.1.2 ✓ 26

No failing instances

object-alt: <object> elements must have alternative text - WCAG 1.1.1 ✓ 0

No matching instances

presentation-role-conflict: Ensure elements marked as presentational are consistently ignored - WCAG 1.3.1 ✓ 0 Best Practice

No matching instances

role-img-alt: [role="img"] elements must have an alternative text - WCAG 1.1.1 ✓ 1

No failing instances

scrollable-region-focusable: Scrollable region must have keyboard access - WCAG 2.1.1 ✓ 1

No failing instances

select-name: Select element must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

server-side-image-map: Server-side image maps must not be used - WCAG 2.1.1 ✓ 0

No matching instances

summary-name: Summary elements must have discernible text - WCAG 4.1.2 ✓ 0

No matching instances

svg-img-alt: <svg> elements with an img role must have an alternative text - WCAG 1.1.1 ✓ 0

No matching instances

td-headers-attr: Table cells that use the headers attribute must only refer to cells in the same table - WCAG 1.3.1 ✓ 0

No matching instances

th-has-data-cells: Table headers in a data table must refer to data cells - WCAG 1.3.1 ✓ 0

No matching instances

valid-lang: lang attribute must have a valid value - WCAG 3.1.2 ✓ 0

No matching instances

video-caption: <video> elements must have captions - WCAG 1.2.2 ✓ 0

No matching instances

Keyboard ✓ 1

Keyboard navigation: Users must be able to *navigate* to all interactive interface components using a keyboard - WCAG 2.1.1 ✓ 0

No matching instances

Focus ✓ 1

Focus order: Components must receive focus in an order that preserves meaning and operability - WCAG 2.4.3 ✓ 0

No matching instances

Headings ✓ 2

No missing headings: Text that *looks like* a heading must be *coded* as a heading - WCAG 1.3.1, WCAG 2.4.6 ✓ 1

Heading level: A heading's *programmatic* level must match the level that's presented *visually* - WCAG 1.3.1 ✓ 5

Path	.my-lg-0 > .card > .card-header.text-bg-primary > .card-title > h4
Snippet	Evenementen
Heading text	Evenementen

Path	#post-9 > .shadow.mb-4.border-rounded > .pt-3.flex-row.pb-1 > div > h5
Snippet	<h5 class="m-0 p-0 d-flex align-items-start">
Heading text	Ongelezen Nihil Elaboraret Accusata

Path	#post-16 > .shadow.mb-4.border-rounded > .pt-3.flex-row.pb-1 > div > h5
Snippet	<h5 class="m-0 p-0 d-flex align-items-start">
Heading text	Ongelezen Platonem Egestas Postulant

Path	#post-58 > .shadow.mb-4.border-rounded > .pt-3.flex-row.pb-1 > div > h5
Snippet	<h5 class="m-0 p-0 d-flex align-items-start">
Heading text	Ongelezen Magna Corrumpit Purus

Path	.col-lg-4 > .card > .card-header.text-bg-primary > .card-title > h4
Snippet	Filter
Heading text	Filter

Repetitive content ✓ 1

Bypass blocks: A page must provide a keyboard-accessible method to bypass repetitive content - WCAG 2.4.1 ✓ 0

No matching instances

Links ✓ 1

Link purpose: The purpose of a link must be described by its link text alone, or by the link text together with preceding page context - WCAG 2.4.4 ✓ 14

Path	a[href$="#content"]
Snippet	Doorgaan naar hoofdinhoud
Accessible name	Doorgaan naar hoofdinhoud
Accessible description	(no value)
URL	#content

Path	a[href$="#bottom-bar"]
Snippet	Doorgaan naar snelmenu
Accessible name	Doorgaan naar snelmenu
Accessible description	(no value)
URL	#bottom-bar

Path	.navbar-brand
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>Terug naar home
Accessible name	42-DEV BV Terug naar home
Accessible description	(no value)
URL	/

Path	.dropdown:nth-child(1) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">color_lens</i>42
Accessible name	color_lens42
Accessible description	(no value)
URL	#

Path	.dropdown:nth-child(2) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class=" d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">public</i>Nederlands
Accessible name	publicNederlands
Accessible description	(no value)
URL	#

Path	.dropdown:nth-child(5) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="dropdown-toggle nav-link" aria-expanded="false">
Accessible name	deelnemer@42.nl Diederik Deelnemer
Accessible description	(no value)
URL	#

Path	a[href$="events/9"]
Snippet	Nihil Elaboraret Accusata
Accessible name	Nihil Elaboraret Accusata
Accessible description	(no value)
URL	/publications/events/9

Path	a[href="/publications/events/16"]
Snippet	Platonem Egestas Postulant
Accessible name	Platonem Egestas Postulant
Accessible description	(no value)
URL	/publications/events/16

Path	a[href="/publications/events/58"]
Snippet	Magna Corrumpit Purus
Accessible name	Magna Corrumpit Purus
Accessible description	(no value)
URL	/publications/events/58

Path	a[href$="dashboard"]
Snippet	<a class="text-decoration-none" href="/dashboard" data-discover="true">
Accessible name	homeHome
Accessible description	(no value)
URL	/dashboard

Path	a[href$="chats"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	messageChats
Accessible description	(no value)
URL	/chats

Path	a[href$="favorites"]
Snippet	<a class="text-decoration-none" href="/publications/favorites" data-discover="true">
Accessible name	starsFavorieten
Accessible description	(no value)
URL	/publications/favorites

Path	a[href$="news"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts134Nieuws
Accessible description	(no value)
URL	/publications/news

Path	a[href$="events"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_todayEvenement
Accessible description	(no value)
URL	/publications/events

Native widgets ✓1

Instructions: If a native widget has a visible label or instructions, they must be programmatically determinable - WCAG 1.3.1, WCAG 2.5.3 ✓15 New for WCAG 2.1

Path	.me-auto > .btn-md.btn-primary.btn
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">arrow_back</i>Terug</div></button>
Element	button
Accessible name	arrow_backTerug
Accessible description	(no value)

Path	button[icon="block"]
Snippet	<button type="button" icon="block" class="float-end btn btn-primary">Herstellen</button>
Element	button
Accessible name	Herstellen
Accessible description	(no value)

Path	.ps-3.py-1.my-2:nth-child(1)
Snippet	<button type="button" class="ps-3 py-1 me-2 my-2 btn btn-primary btn-sm" style="border-radius: 50px;"><div class="d-flex align-items-center">Relevant voor mij<i class="icon material-icons material-icons__filled ms-2" style="font-size: 14px;">close</i></div></button>
Element	button
Accessible name	Relevant voor mijclose
Accessible description	(no value)

Path	.ps-3.py-1.my-2:nth-child(2)
Snippet	<button type="button" class="ps-3 py-1 me-2 my-2 btn btn-primary btn-sm" style="border-radius: 50px;"><div class="d-flex align-items-center">Alleen ongelezen<i class="icon material-icons material-icons__filled ms-2" style="font-size: 14px;">close</i></div></button>
Element	button
Accessible name	Alleen ongelezenclose
Accessible description	(no value)

Path	.ps-3.py-1.my-2:nth-child(3)

Snippet	<button type="button" class="ps-3 py-1 me-2 my-2 btn btn-primary btn-sm" style="border-radius: 50px;"><div class="d-flex align-items-center">Van: 21-03-2025<i class="icon material-icons material-icons__filled ms-2" style="font-size: 14px;">close</i></div></button>
Element	button
Accessible name	Van: 21-03-2025close
Accessible description	(no value)

Path	#post-9 > .shadow.mb-4.border-rounded > .pe-4.align-self-end.mt-2 > .d-inline-block.button.primary > .btn-md.btn-primary.btn
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">person_add</i>Schrijf in</div></button>
Element	button
Accessible name	person_addSchrijf in
Accessible description	(no value)

Path	#post-16 > .shadow.mb-4.border-rounded > .pe-4.align-self-end.mt-2 > .d-inline-block.button.primary > .btn-md.btn-primary.btn
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">person_add</i>Schrijf in</div></button>
Element	button
Accessible name	person_addSchrijf in
Accessible description	(no value)

Path	#post-58 > .shadow.mb-4.border-rounded > .pe-4.align-self-end.mt-2 > .d-inline-block.button.primary > .btn-md.btn-primary.btn
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">person_add</i>Schrijf in</div></button>
Element	button
Accessible name	person_addSchrijf in
Accessible description	(no value)

Path	#\31 6
Snippet	<input placeholder="Zoeken..." id="16" type="text" class="form-control" value="">
Element	input type="text"
Accessible name	Zoeken
Accessible description	(no value)

Path	#myAllFilter
Snippet	<input id="myAllFilter" type="checkbox" aria-label="Relevant voor mij" checked="">
Element	input type="checkbox"
Accessible name	Relevant voor mij
Accessible description	(no value)

Path	#unreadOnly
Snippet	<input id="unreadOnly" type="checkbox" aria-label="Alleen ongelezen" checked="">
Element	input type="checkbox"
Accessible name	Alleen ongelezen
Accessible description	(no value)

Path	.btn-md.btn-primary.d-block
Snippet	<button type="button" class="btn btn-primary btn-md d-block w-100"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">search</i>Selecteer kenmerken</div></button>
Element	button
Accessible name	searchSelecteer kenmerken
Accessible description	(no value)

Path	#intervalStart
Snippet	<input id="intervalStart" autocomplete="off" type="text" class="form-control form-control" aria-invalid="false" value="21-03-2025">
Element	input type="text"
Accessible name	Van(DD-MM-YYYY)
Accessible description	(no value)

Path	#intervalEnd
Snippet	<input id="intervalEnd" autocomplete="off" type="text" class="form-control form-control" aria-invalid="false" value="">
Element	input type="text"
Accessible name	tot(DD-MM-YYYY)
Accessible description	(no value)

Path	.tsqd-open-btn
Snippet	<button type="button" aria-label="Open Tanstack query devtools" class="tsqd-open-btn">
Element	button
Accessible name	Open Tanstack query devtools
Accessible description	(no value)

Images ✓1

Image function: Every image must be coded as either meaningful or decorative - WCAG 1.1.1 ✓4

Path	.logo
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>
Image type	Role="img"
Coded as	Meaningful
ARIA role	(no value)
Accessible name	42-DEV BV

Path	img[alt="deelnemer@42.nl"]
Snippet	<img alt="deelnemer@42.nl" src="/api/photos/1d0d8c87-a786-444d-b71a-544dbad57ad4.jpg">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	deelnemer@42.nl

Path	.img-fluid
Snippet	<img alt="Nihil Elaboraret Accusata" class="img-fluid mb-3 ms-3 float-end" src="/api/photos/1a971847-6769-4d62-a33b-881b232690ea.jpg" style="max-height: 350px; max-width: 50%;">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	Nihil Elaboraret Accusata

Path	.tsqd-open-btn > svg
Snippet	<svg version="1.0" viewBox="0 0 633 633">
Coded as	Decorative
ARIA role	(no value)
Accessible name	(no value)

Adaptable content ✓ 1

Reflow: Content must be visible without having to scroll in two dimensions - WCAG 1.4.10 ✓ 0 New for WCAG 2.1

No matching instances

Contrast ✓ 1

UI components: Visual information used to identify active user interface components and their states must have sufficient contrast - WCAG 1.4.11 ✓ 41 New for WCAG 2.1

Path	a[href$="#content"]
Snippet	Doorgaan naar hoofdinhoud
Accessible name	Doorgaan naar hoofdinhoud
Element	link

Path	a[href$="#bottom-bar"]
Snippet	Doorgaan naar snelmenu
Accessible name	Doorgaan naar snelmenu
Element	link

Path	.navbar-brand
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>Terug naar home
Accessible name	42-DEV BV Terug naar home
Element	link

Path	.dropdown:nth-child(1) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">color_lens</i>42
Accessible name	color_lens42
Element	link

Path	.dropdown:nth-child(2) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class=" d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">public</i>Nederlands
Accessible name	publicNederlands
Element	link

Path	.dropdown:nth-child(5) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="dropdown-toggle nav-link" aria-expanded="false">
Accessible name	deelnemer@42.nl Diederik Deelnemer
Element	link

Path	a[href$="events/9"]
Snippet	Nihil Elaboraret Accusata
Accessible name	Nihil Elaboraret Accusata
Element	link

Path	a[href="/publications/events/16"]
Snippet	Platonem Egestas Postulant
Accessible name	Platonem Egestas Postulant
Element	link

Path	a[href="/publications/events/58"]
Snippet	Magna Corrumpit Purus
Accessible name	Magna Corrumpit Purus
Element	link

Path	a[href$="dashboard"]
Snippet	<a class="text-decoration-none" href="/dashboard" data-discover="true">
Accessible name	homeHome
Element	link

Path	a[href$="chats"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	messageChats
Element	link

Path	a[href$="favorites"]
Snippet	<a class="text-decoration-none" href="/publications/favorites" data-discover="true">
Accessible name	starsFavorieten
Element	link

Path	a[href$="news"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts134Nieuws
Element	link

Path	a[href$="events"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_todayEvenement
Element	link

Path	.me-auto > .btn-md.btn-primary.btn
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">arrow_back</i>Terug</div></button>
Accessible name	arrow_backTerug
Element	button

Path	button[icon="block"]
Snippet	<button type="button" icon="block" class="float-end btn btn-primary">Herstellen</button>
Accessible name	Herstellen
Element	button

Path	.ps-3.py-1.my-2:nth-child(1)
Snippet	<button type="button" class="ps-3 py-1 me-2 my-2 btn btn-primary btn-sm" style="border-radius: 50px;"><div class="d-flex align-items-center">Relevant voor mij<i class="icon material-icons material-icons__filled ms-2" style="font-size: 14px;">close</i></div></button>
Accessible name	Relevant voor mijclose
Element	button

Path	.ps-3.py-1.my-2:nth-child(2)
Snippet	<button type="button" class="ps-3 py-1 me-2 my-2 btn btn-primary btn-sm" style="border-radius: 50px;"><div class="d-flex align-items-center">Alleen ongelezen<i class="icon material-icons material-icons__filled ms-2" style="font-size: 14px;">close</i></div></button>
Accessible name	Alleen ongelezenclose
Element	button

Path	.ps-3.py-1.my-2:nth-child(3)
Snippet	<button type="button" class="ps-3 py-1 me-2 my-2 btn btn-primary btn-sm" style="border-radius: 50px;"><div class="d-flex align-items-center">Van: 21-03-2025<i class="icon material-icons material-icons__filled ms-2" style="font-size: 14px;">close</i></div></button>
Accessible name	Van: 21-03-2025close
Element	button

Path	#post-9 > .shadow.mb-4.border-rounded > .pe-4.align-self-end.mt-2 > .d-inline-block.button.primary > .btn-md.btn-primary.btn
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">person_add</i>Schrijf in</div></button>
Accessible name	person_addSchrijf in
Element	button

Path	#post-16 > .shadow.mb-4.border-rounded > .pe-4.align-self-end.mt-2 > .d-inline-block.button.primary > .btn-md.btn-primary.btn
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">person_add</i>Schrijf in</div></button>
Accessible name	person_addSchrijf in
Element	button

Path	#post-58 > .shadow.mb-4.border-rounded > .pe-4.align-self-end.mt-2 > .d-inline-block.button.primary > .btn-md.btn-primary.btn
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">person_add</i>Schrijf in</div></button>
Accessible name	person_addSchrijf in
Element	button

Path	#\37 4
Snippet	<input placeholder="Zoeken..." id="74" type="text" class="form-control" value="">
Accessible name	Zoeken
Element	input type="text"

Path	#myAllFilter
Snippet	<input id="myAllFilter" type="checkbox" aria-label="Relevant voor mij" checked="">
Accessible name	Relevant voor mij
Element	input type="checkbox"

Path	#unreadOnly
Snippet	<input id="unreadOnly" type="checkbox" aria-label="Alleen ongelezen" checked="">
Accessible name	Alleen ongelezen
Element	input type="checkbox"

Path	.btn-md.btn-primary.d-block
Snippet	<button type="button" class="btn btn-primary btn-md d-block w-100"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">search</i>Selecteer kenmerken</div></button>
Accessible name	searchSelecteer kenmerken
Element	button

Path	#intervalStart
Snippet	<input id="intervalStart" autocomplete="off" type="text" class="form-control form-control" aria-invalid="false" value="21-03-2025">
Accessible name	Van(DD-MM-YYYY)
Element	input type="text"

Path	#intervalEnd
Snippet	<input id="intervalEnd" autocomplete="off" type="text" class="form-control form-control" aria-invalid="false" value="">
Accessible name	tot(DD-MM-YYYY)
Element	input type="text"

Path	.tsqd-open-btn
Snippet	<button type="button" aria-label="Open Tanstack query devtools" class="tsqd-open-btn">
Accessible name	Open Tanstack query devtools
Element	button

Path	.chat-notifications > .nav-link.clickable[role="button"]
Snippet	<button class="clickable nav-link" tabindex="0" role="button" aria-expanded="false"><i class="icon material-icons material-icons__filled mt-1">question_answer</i>Chatgesprekken</button>
Accessible name	question_answerChatgesprekken
Role	button

Path	.internal-notifications > .nav-link.clickable[role="button"]
Snippet	<button class="clickable nav-link" tabindex="0" role="button" aria-expanded="false">
Accessible name	notifications35Meldingen
Role	button

Path	.avatar > span[role="button"]
Snippet	<img alt="deelnemer@42.nl" src="/api/photos/1d0d8c87-a786-444d-b71a-544dbad57ad4.jpg">
Accessible name	deelnemer@42.nl
Role	button

Path	.alert-warning
Snippet	<div class="d-print-none alert alert-warning fade show" open="" role="alert">
Accessible name	(no value)
Role	alert

Path	.alert-info
Snippet	<div class="alert alert-info fade show" role="alert">3 resultaten gevonden</div>
Accessible name	(no value)
Role	alert

Path	#post-9 > .shadow.mb-4.border-rounded > .pt-3.flex-row.pb-1 > div > h5 > .d-inline-flex.align-items-start[role="button"]
Snippet	Ongelezen
Accessible name	Ongelezen
Role	button

Path	#post-16 > .shadow.mb-4.border-rounded > .pt-3.flex-row.pb-1 > div > h5 > .d-inline-flex.align-items-start[role="button"]
Snippet	Ongelezen
Accessible name	Ongelezen
Role	button

Path	#post-58 > .shadow.mb-4.border-rounded > .pt-3.flex-row.pb-1 > div > h5 > .d-inline-flex.align-items-start[role="button"]
Snippet	Ongelezen
Accessible name	Ongelezen
Role	button

Path	label[for="myAllFilter"] > .ms-2[role="button"]
Snippet	<i class="icon material-icons material-icons__filled" style="font-size: 16px;">info</i>
Accessible name	info
Role	button

Path	label[for="unreadyOnly"] > .ms-2[role="button"]
Snippet	<i class="icon material-icons material-icons__filled" style="font-size: 16px;">info</i>
Accessible name	info
Role	button

Path	label[for="tagSelector"] > .ms-2[role="button"]
Snippet	<i class="icon material-icons material-icons__filled" style="font-size: 16px;">info</i>
Accessible name	info
Role	button

Path	#tagSelector
Snippet	<input autocomplete="off" placeholder="Typ om kenmerken te zoeken..." type="text" id="tagSelector" aria-label="Typ om kenmerken te zoeken..." aria-autocomplete="both" aria-expanded="false" aria-haspopup="listbox" role="combobox" class="rbt-input-main form-control rbt-input" value="">
Accessible name	Typ om kenmerken te zoeken...
Role	combobox

This assessment report was generated using Accessibility Insights for Web 2.46.0 (axe-core 4.10.2), a tool that helps debug and find accessibility issues earlier on Chrome version 134.0.0.0. Get more information & download this tool at http://aka.ms/AccessibilityInsights

Accessibility Insights for Web

Target page: localhost:3000/publications/events/9

QuickAssess report

This report shows the results from a combination of assisted and manual tests that cover limited aspects of the WCAG 2.1 AA and 2.2 AA success criteria.

Summary

✓ 100% ○ 0% × 0%

Test details

Automated checks	✓ 60	**Links**	✓
Keyboard	✓	**Native widgets**	✓
Focus	✓	**Images**	✓
Headings	✓ ✓	**Adaptable content**	✓
Repetitive content	✓	**Contrast**	✓

Scan details

http://localhost:3000/publications/events/9

3/21/2025, 12:52:35 PM UTC

Evenement (details) - Deelnemer

Failed tests ✕ 0

Incomplete tests ○ 0

Passed tests ✓ 70

Automated checks ✓ 60

area-alt: Active <area> elements must have alternative text - WCAG 2.4.4, WCAG 4.1.2 ✓ 0

No matching instances

aria-allowed-attr: Elements must only use supported ARIA attributes - WCAG 4.1.2 ✓ 7

No failing instances

aria-allowed-role: ARIA role should be appropriate for the element - WCAG 1.3.1, WCAG 4.1.2 ✓ 25 Best Practice

No failing instances

aria-command-name: ARIA commands must have an accessible name - WCAG 4.1.2 ✓ 1

No failing instances

aria-conditional-attr: ARIA attributes must be used as specified for the element's role - WCAG 4.1.2 ✓ 7

No failing instances

aria-deprecated-role: Deprecated ARIA roles must not be used - WCAG 4.1.2 ✓ 5

No failing instances

aria-hidden-body: aria-hidden="true" must not be present on the document body - WCAG 1.3.1, WCAG 4.1.2 ✓ 1

No failing instances

aria-hidden-focus: ARIA hidden element must not be focusable or contain focusable elements - WCAG 4.1.2 ✓ 4

No failing instances

aria-input-field-name: ARIA input fields must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-meter-name: ARIA meter nodes must have an accessible name - WCAG 1.1.1 ✓ 0

No matching instances

aria-progressbar-name: ARIA progressbar nodes must have an accessible name - WCAG 1.1.1 ✓ 0

No matching instances

aria-prohibited-attr: Elements must only use permitted ARIA attributes - WCAG 4.1.2 ✓ 7

No failing instances

aria-required-attr: Required ARIA attributes must be provided - WCAG 4.1.2 ✓ 5

No failing instances

aria-required-children: Certain ARIA roles must contain particular children - WCAG 1.3.1 ✓ 0

No matching instances

aria-required-parent: Certain ARIA roles must be contained by particular parents - WCAG 1.3.1 ✓ 0

No matching instances

aria-roles: ARIA roles used must conform to valid values - WCAG 4.1.2 ✓ 5

No failing instances

aria-toggle-field-name: ARIA toggle fields must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-tooltip-name: ARIA tooltip nodes must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

aria-valid-attr-value: ARIA attributes must conform to valid values - WCAG 4.1.2 ✓ 7

No failing instances

aria-valid-attr: ARIA attributes must conform to valid names - WCAG 4.1.2 ✓ 7

No failing instances

audio-caption: <audio> elements must have a captions track - WCAG 1.2.1 ✓ 0

No matching instances

autocomplete-valid: autocomplete attribute must be used correctly - WCAG 1.3.5 ✓ 0 New for WCAG 2.1

No matching instances

avoid-inline-spacing: Inline text spacing must be adjustable with custom stylesheets - WCAG 1.4.12 ✓ 11 New for WCAG 2.1

No failing instances

blink: <blink> elements are deprecated and must not be used - WCAG 2.2.2 ✓ 0

No matching instances

button-name: Buttons must have discernible text - WCAG 4.1.2 ✓ 6

No failing instances

bypass: Page must have means to bypass repeated blocks - WCAG 2.4.1 ✓ 1

No failing instances

color-contrast: Elements must meet minimum color contrast ratio thresholds - WCAG 1.4.3 ✓ 41

No failing instances

definition-list: <dl> elements must only directly contain properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements - WCAG 1.3.1 ✓ 0

No matching instances

dlitem: <dt> and <dd> elements must be contained by a <dl> - WCAG 1.3.1 ✓ 0

No matching instances

document-title: Documents must have <title> element to aid in navigation - WCAG 2.4.2 ✓ 1

No failing instances

duplicate-id-aria: IDs used in ARIA and labels must be unique - WCAG 4.1.2 ✓ 0

No matching instances

frame-focusable-content: Frames with focusable content must not have tabindex=-1 - WCAG 2.1.1 ✓ 0

No matching instances

frame-title: Frames must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

html-has-lang: <html> element must have a lang attribute - WCAG 3.1.1 ✓ 1

No failing instances

html-lang-valid: <html> element must have a valid value for the lang attribute - WCAG 3.1.1 ✓ 1

No failing instances

html-xml-lang-mismatch: HTML elements with lang and xml:lang must have the same base language - WCAG 3.1.1 ✓ 0

No matching instances

image-alt: Images must have alternative text - WCAG 1.1.1 ✓ 2

No failing instances

input-button-name: Input buttons must have discernible text - WCAG 4.1.2 ✓ 0

No matching instances

input-image-alt: Image buttons must have alternative text - WCAG 1.1.1, WCAG 4.1.2 ✓ 0

No matching instances

label: Form elements must have labels - WCAG 4.1.2 ✓ 0

No matching instances

link-in-text-block: Links must be distinguishable without relying on color - WCAG 1.4.1 ✓ 1

No failing instances

link-name: Links must have discernible text - WCAG 2.4.4, WCAG 4.1.2 ✓ 12

No failing instances

list: <ul> and <ol> must only directly contain <li>, <script> or <template> elements - WCAG 1.3.1 ✓ 2

No failing instances

listitem: <li> elements must be contained in a <ul> or <ol> - WCAG 1.3.1 ✓ 9

No failing instances

marquee: <marquee> elements are deprecated and must not be used - WCAG 2.2.2 ✓ 0

No matching instances

meta-refresh: Delayed refresh under 20 hours must not be used - WCAG 2.2.1 ✓ 0

No matching instances

meta-viewport: Zooming and scaling must not be disabled - WCAG 1.4.4 ✓ 1

No failing instances

nested-interactive: Interactive controls must not be nested - WCAG 4.1.2 ✓ 10

No failing instances

object-alt: <object> elements must have alternative text - WCAG 1.1.1 ✓ 0

No matching instances

presentation-role-conflict: Ensure elements marked as presentational are consistently ignored - WCAG 1.3.1 ✓ 0 Best Practice

No matching instances

role-img-alt: [role="img"] elements must have an alternative text - WCAG 1.1.1 ✓ 1

No failing instances

scrollable-region-focusable: Scrollable region must have keyboard access - WCAG 2.1.1 ✓ 1

No failing instances

select-name: Select element must have an accessible name - WCAG 4.1.2 ✓ 0

No matching instances

server-side-image-map: Server-side image maps must not be used - WCAG 2.1.1 ✓ 0

No matching instances

summary-name: Summary elements must have discernible text - WCAG 4.1.2 ✓ 0

No matching instances

svg-img-alt: <svg> elements with an img role must have an alternative text - WCAG 1.1.1 ✓ 0

No matching instances

td-headers-attr: Table cells that use the headers attribute must only refer to cells in the same table - WCAG 1.3.1 ✓ 0

No matching instances

th-has-data-cells: Table headers in a data table must refer to data cells - WCAG 1.3.1 ✓ 0

No matching instances

valid-lang: lang attribute must have a valid value - WCAG 3.1.2 ✓ 0

No matching instances

video-caption: <video> elements must have captions - WCAG 1.2.2 ✓ 0

No matching instances

Keyboard ✓ 1

Keyboard navigation: Users must be able to *navigate* to all interactive interface components using a keyboard - WCAG 2.1.1 ✓ 0

No matching instances

Focus ✓ 1

Focus order: Components must receive focus in an order that preserves meaning and operability - WCAG 2.4.3 ✓ 0

No matching instances

Headings ✓ 2

No missing headings: Text that *looks like* a heading must be *coded* as a heading - WCAG 1.3.1, WCAG 2.4.6 ✓ 1

Heading level: A heading's *programmatic* level must match the level that's presented *visually* - WCAG 1.3.1 ✓ 6

Path	h3
Snippet	<h3 class="d-flex align-items-center word-break">Nihil Elaboraret Accusata</h3>
Heading text	Nihil Elaboraret Accusata

Path	h4
Snippet	Evenement details
Heading text	Evenement details

Path	.pl-0.list-group-item:nth-child(1) > h5
Snippet	<h5 class="small text-primary list-group-item-heading">Locatie</h5>
Heading text	Locatie

Path	.pl-0.list-group-item:nth-child(2) > h5
Snippet	<h5 class="small text-primary list-group-item-heading">Datum en tijd</h5>
Heading text	Datum en tijd

Path	.pl-0.list-group-item:nth-child(3) > h5
Snippet	<h5 class="small text-primary list-group-item-heading">Kosten</h5>
Heading text	Kosten

Path	.pl-0.list-group-item:nth-child(4) > h5
Snippet	<h5 class="small text-primary list-group-item-heading">Organisator</h5>
Heading text	Organisator

Repetitive content ✓ 1

Bypass blocks: A page must provide a keyboard-accessible method to bypass repetitive content - WCAG 2.4.1 ✓ 0

No matching instances

Links ✓ 1

Link purpose: The purpose of a link must be described by its link text alone, or by the link text together with preceding page context - WCAG 2.4.4 ✓ 12

Path	a[href$="#content"]
Snippet	Doorgaan naar hoofdinhoud
Accessible name	Doorgaan naar hoofdinhoud
Accessible description	(no value)
URL	#content

Path	a[href$="#bottom-bar"]
Snippet	Doorgaan naar snelmenu
Accessible name	Doorgaan naar snelmenu
Accessible description	(no value)
URL	#bottom-bar

Path	.navbar-brand
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>Terug naar home
Accessible name	42-DEV BV Terug naar home
Accessible description	(no value)
URL	/

Path	.dropdown.nav-item:nth-child(1) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">color_lens</i>42
Accessible name	color_lens42
Accessible description	(no value)
URL	#

Path	.dropdown.nav-item:nth-child(2) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class=" d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">public</i>Nederlands
Accessible name	publicNederlands
Accessible description	(no value)
URL	#

Path	.dropdown.nav-item:nth-child(5) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="dropdown-toggle nav-link" aria-expanded="false">
Accessible name	deelnemer@42.nl Diederik Deelnemer
Accessible description	(no value)
URL	#

Path	.pl-0.list-group-item:nth-child(4) > a
Snippet	http://www.metslawier-in-actie.nl
Accessible name	http://www.metslawier-in-actie.nl
Accessible description	(no value)
URL	http://www.metslawier-in-actie.nl

Path	a[href$="dashboard"]
Snippet	<a class="text-decoration-none" href="/dashboard" data-discover="true">
Accessible name	homeHome
Accessible description	(no value)
URL	/dashboard

Path	a[href$="chats"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	messageChats
Accessible description	(no value)
URL	/chats

Path	a[href$="favorites"]
Snippet	<a class="text-decoration-none" href="/publications/favorites" data-discover="true">
Accessible name	starsFavorieten
Accessible description	(no value)
URL	/publications/favorites

Path	a[href$="news"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts134Nieuws
Accessible description	(no value)
URL	/publications/news

Path	a[href$="events"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_todayEvenement
Accessible description	(no value)
URL	/publications/events

Native widgets ✓ 1

Instructions: If a native widget has a visible label or instructions, they must be programmatically determinable - WCAG 1.3.1, WCAG 2.5.3 ✓ 4 New for WCAG 2.1

Path	.me-auto > .btn-md.btn-primary.btn
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">arrow_back</i>Terug</div></button>
Element	button
Accessible name	arrow_backTerug
Accessible description	(no value)

Path	button[icon="block"]
Snippet	<button type="button" icon="block" class="float-end btn btn-primary">Herstellen</button>
Element	button
Accessible name	Herstellen
Accessible description	(no value)

Path	.card-body > .button.d-inline-block.primary > .btn-md.btn-primary.btn
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">person_add</i>Schrijf in</div></button>
Element	button
Accessible name	person_addSchrijf in
Accessible description	(no value)

Path	.tsqd-open-btn
Snippet	<button type="button" aria-label="Open Tanstack query devtools" class="tsqd-open-btn">
Element	button
Accessible name	Open Tanstack query devtools
Accessible description	(no value)

Images ✓ 1

Image function: Every image must be coded as either meaningful or decorative - WCAG 1.1.1 ✓ 4

Path	.logo
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>
Image type	Role="img"
Coded as	Meaningful
ARIA role	(no value)
Accessible name	42-DEV BV

Path	img[alt="deelnemer@42.nl"]
Snippet	<img alt="deelnemer@42.nl" src="/api/photos/1d0d8c87-a786-444d-b71a-544dbad57ad4.jpg">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	deelnemer@42.nl

Path	.img-fluid
Snippet	<img alt="Nihil Elaboraret Accusata" class="img-fluid float-sm-end ms-3 mb-3" src="/api/photos/1a971847-6769-4d62-a33b-881b232690ea.jpg" style="max-width: 50%; max-height: 350px;">
Image type	<img>
Coded as	Meaningful
ARIA role	(no value)
Accessible name	Nihil Elaboraret Accusata

Path	.tsqd-open-btn > svg
Snippet	<svg version="1.0" viewBox="0 0 633 633">
Coded as	Decorative
ARIA role	(no value)
Accessible name	(no value)

Adaptable content ✓ 1

Reflow: Content must be visible without having to scroll in two dimensions - WCAG 1.4.10 ✓ 0 New for WCAG 2.1

No matching instances

Contrast ✓ 1

UI components: Visual information used to identify active user interface components and their states must have sufficient contrast - WCAG 1.4.11 ✓ 20 New for WCAG 2.1

Path	a[href$="#content"]
Snippet	Doorgaan naar hoofdinhoud
Accessible name	Doorgaan naar hoofdinhoud
Element	link

Path	a[href$="#bottom-bar"]
Snippet	Doorgaan naar snelmenu
Accessible name	Doorgaan naar snelmenu
Element	link

Path	.navbar-brand
Snippet	<div class="logo topbar" role="img" aria-label="42-DEV BV"></div>Terug naar home
Accessible name	42-DEV BV Terug naar home
Element	link

Path	.dropdown.nav-item:nth-child(1) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">color_lens</i>42
Accessible name	color_lens42
Element	link

Path	.dropdown.nav-item:nth-child(2) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class=" d-flex dropdown-toggle nav-link" aria-expanded="false"><i class="icon material-icons material-icons__filled">public</i>Nederlands
Accessible name	publicNederlands
Element	link

Path	.dropdown.nav-item:nth-child(5) > .dropdown-toggle[aria-haspopup="true"][href="#"]
Snippet	<a aria-haspopup="true" href="#" class="dropdown-toggle nav-link" aria-expanded="false">
Accessible name	deelnemer@42.nl Diederik Deelnemer
Element	link

Path	.pl-0.list-group-item:nth-child(4) > a
Snippet	http://www.metslawier-in-actie.nl
Accessible name	http://www.metslawier-in-actie.nl
Element	link

Path	a[href$="dashboard"]
Snippet	<a class="text-decoration-none" href="/dashboard" data-discover="true">
Accessible name	homeHome
Element	link

Path	a[href$="chats"]
Snippet	<a class="text-decoration-none" href="/chats" data-discover="true">
Accessible name	messageChats
Element	link

Path	a[href$="favorites"]
Snippet	<a class="text-decoration-none" href="/publications/favorites" data-discover="true">
Accessible name	starsFavorieten
Element	link

Path	a[href$="news"]
Snippet	<a class="text-decoration-none" href="/publications/news" data-discover="true">
Accessible name	import_contacts134Nieuws
Element	link

Path	a[href$="events"]
Snippet	<a class="text-decoration-none" href="/publications/events" data-discover="true">
Accessible name	calendar_todayEvenement
Element	link

Path	.me-auto > .btn-md.btn-primary.btn
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">arrow_back</i>Terug</div></button>
Accessible name	arrow_backTerug
Element	button

Path	button[icon="block"]
Snippet	<button type="button" icon="block" class="float-end btn btn-primary">Herstellen</button>
Accessible name	Herstellen
Element	button

Path	.card-body > .button.d-inline-block.primary > .btn-md.btn-primary.btn
Snippet	<button type="button" class="btn btn-primary btn-md"><div class="d-flex justify-content-center align-items-center"><i class="icon material-icons material-icons__filled button-icon me-2">person_add</i>Schrijf in</div></button>
Accessible name	person_addSchrijf in
Element	button

Path	.tsqd-open-btn
Snippet	<button type="button" aria-label="Open Tanstack query devtools" class="tsqd-open-btn">
Accessible name	Open Tanstack query devtools
Element	button

Path	.chat-notifications > .nav-link.clickable[role="button"]
Snippet	<button class="clickable nav-link" tabindex="0" role="button" aria-expanded="false"><i class="icon material-icons material-icons__filled mt-1">question_answer</i>Chatgesprekken</button>
Accessible name	question_answerChatgesprekken
Role	button

Path	.internal-notifications > .nav-link.clickable[role="button"]
Snippet	<button class="clickable nav-link" tabindex="0" role="button" aria-expanded="false">
Accessible name	notifications37Meldingen
Role	button

Path	span[role="button"]
Snippet	<img alt="deelnemer@42.nl" src="/api/photos/1d0d8c87-a786-444d-b71a-544dbad57ad4.jpg">
Accessible name	deelnemer@42.nl
Role	button

Path	.alert
Snippet	<div class="d-print-none alert alert-warning fade show" open="" role="alert">
Accessible name	(no value)
Role	alert

This assessment report was generated using Accessibility Insights for Web 2.46.0 (axe-core 4.10.2), a tool that helps debug and find accessibility issues earlier on Chrome version 134.0.0.0. Get more information & download this tool at http://aka.ms/AccessibilityInsights